

## Bid Corrigendum

GEM/2025/B/6086752-C11

Following terms and conditions supersede all existing "Buyer added Bid Specific Terms and conditions" given in the bid document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms and Conditions:

### Buyer Added Bid Specific Additional Terms and Conditions

1. Bidder shall submit the following documents along with their bid for Vendor Code Creation:
  - a. Copy of PAN Card.
  - b. Copy of GSTIN.
  - c. Copy of Cancelled Cheque.
  - d. Copy of EFT Mandate duly certified by Bank.
2. Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)
3. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
4. Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
  - i) The Seller fails to comply with any material term of the Contract.
  - ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
  - iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
  - iv) The Seller becomes bankrupt or goes into liquidation.
  - v) The Seller makes a general assignment for the benefit of creditors.
  - vi) A receiver is appointed for any substantial property owned by the Seller.
  - vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.
5. Bidders can also submit the EMD with Account Payee Demand Draft in favour of  
Power Grid Corporation of India Limited  
payable at  
Lucknow  
.  
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.
6. Bidders can also submit the EMD with Banker's Cheque in favour of  
Power Grid Corporation of India Limited  
payable at  
Lucknow  
.  
Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

7. Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of Power Grid Corporation of India Limited payable at Lucknow  
 . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.
8. Scope of supply (Bid price to include all cost components) : Only supply of Goods
9. Buyer Added text based ATC clauses

“Supply of PTZ camera and accessories to various Sites of Southern Region-I (SR-I), Western Region-II (WR-II) and Northern Region-III (NR-III) of POWERGRID”. (Specification No.: NCN0137)

**“Supply of PTZ camera and accessories to various Sites of Southern Region-I (SR-I), Western Region-II (WR-II) and Northern Region-III (NR-III) of POWERGRID”. (Specification No.: NCN0137)**

Pre-bid Meeting:

Pre-Bid Meeting shall be conducted on 04.04.2025 at 11:00 am (In Hybrid Mode). Request for providing link for participation in online Pre-Bid Meeting shall be sent by bidder through e-mail at [cpc@powergrid.in](mailto:cpc@powergrid.in)

Venue for Physical Meeting:

Centralized Procurement Cell, 3rd Floor, Plot No. – 2A/INS 02, Avadh Vihar Yojna, Amar Shaheed Path, Near Medanta Hospital, Lucknow- 226002 (UP)

#### CORRIGENDUM-I

**GEM BID REF. NO. GEM/2025/B/6086752 Dated: 28-03-2025**

Sl. No.	Clause No.	Bidder's Query	Reply
---------	------------	----------------	-------

1.	TS	<p>We request POWERGRID to elaborate the integration scope, we suggest the integration as below :</p> <p>The camera should support open integration over ONVIF API (Profile S, G, T, M) with VMS installed at NTAMC. Over ONVIF, camera shall have below functionality as minimum:</p> <ul style="list-style-type: none"> <li>• Live Video</li> <li>• Recording</li> <li>• Pan, Tilt, Zoom and focus</li> <li>• Camera Alarms</li> </ul> <p>All the required support from nice vision (Qognify) to be arranged by POWERGRID for successful integration.</p>	<p><b>Bidders have to demonstrate successful integration of the offered camera model with existing VMS system of POWERGRID during pre-award stage if the offered model is not integrated with existing VMS system previously.</b></p> <p><b>It may please be noted that it is the responsibility of Bidder to Demonstrate Successful integration of camera model with VMS system {Nice Vision (Qognify)} of POWERGRID and accordingly arranging required support from Nice Vision (Qognify) is the responsibility of bidder only.</b></p>
2.	General	<p>We would like to bring to your attention that most of the OEMs' STQC/ER certifications are currently under process. In light of this, we kindly request POWERGRID to consider allowing suppliers to submit the required STQC/ER certificates at the time of inspection or supply.</p>	<p><b>The offered camera should comply with the Essential Requirements (ERs) for security prescribed by MeitY to ensure the security of the VMS system of POWERGRID.</b></p> <p><b>The security testing report for Camera issued by Standardization Testing and Quality Certification (STQC) Laboratory or any other agency notified by Meity is mandatory before dispatch of item to respective locations by the supplier.</b></p> <p><b>The STQC/ER certificates and EMC compliance are required to be submitted by the successful bidder before issue of dispatch clearance.</b></p>
3.	TS	<p>In the Technical Specification Document (Page 5) under "Integration with NVR", media converters and MCB/LIU are struck off, and only power converters and surge protectors are mentioned. Kindly confirm: Whether media converters are required for South Region as per BOQ, OR Should we follow the technical specifications where they are excluded?</p>	<p><b>Items are to be supplied as per description mentioned in BoQ Detail Document against each location.</b></p> <p><b>The updated Technical Specification Document is attached in BATC for reference.</b></p>

4.	BOQ	The BOQ mentions a total of 31 locations . For example: South Region (Hyderabad ) – 11 PTZ Cameras Kindly confirm: Are the 11 PTZ cameras intended for a single site in Hyderabad, or Are they spread across multiple locations within Hyderabad ? This will help us plan installation and logistics accordingly.	<b>Quantities are to be supplied to locations mentioned in BoQ Detailed Document. All quantities mentioned against each location are to be supplied to a single address, for example, 11 cameras as per BoQ item 02 are to be supplied to single address in Hyderabad.</b>
5.	General	Kindly share the contact details (name, designation, phone number, and email ID) of the concerned officials for the following regions: South Region West Region North Region	<b>The details of concerned officials is as below;</b>  <b>1-Kopanathi Abisikta, Mgr, SR-I, Mob No 9441784171</b>  <b>2-Gaurav Kumar Rathod, Ch Mgr, WR-II Mob No 9111103675</b>  <b>3- Abhay Kumar Tiwari, Ch Mgr, NR-III, Mob No-8874982777</b>
6.	-	Refer to the subject matter, due to the ER compliance of the MEITY, the camera models mentioned in the list enclosed in the technical specifications are now irrelevant. The OEMs are in the process of complying with the ER Policy with relevant STQC Labs. Hence, The OEMs shall release the new models that comply with the new mandates. Furthermore, integration with the existing system (Nicevision NET 3.1) and EMC compliance of the new proposed models will take even more time. You are requested to extend the tender submission date	<b>Tender submission deadline has been extended as per the corrigendum.</b>
7.	General	1. Requesting to add Gov. Notification for STQC & ER Certificate mandatory to Sell/purchase CCTV in India Market (Attached Request letter for your reference).  2. Kindly allow/add for EMI/EMC Test certificate submit within 45 days from the date of order Awarded (Because Those Test will conduct after Model finalized) We kindly request your guidance or additional information on the above points at your earliest convenience.	<b>1. The offered camera should comply with the Essential Requirements (ERs) for security prescribed by MeitY to ensure the security of the VMS system of POW ERGRID. The security testing report for Camera issued by Standardization Testing and Quality Certification (STQC) Laboratory or any other agency notified by Meity is mandatory before dispatch of item to respective locations by the supplier.</b>  <b>2. The STQC/ER certificates and EMC compliance are required to be submitted by the successful bidder before issue of dispatch clearance.</b>

8.	SoW	I would like to have clarity on scope of work as mentioned on page no 27 point no 8 Scope of supply (Bid price to include all cost components): Supply Installation Testing and Commissioning of Goods. Please let us know if the scope of work is limited to supply of PTZ camera per TS or installation, testing is required at the various sites.	<b><i>The scope is limited to supply of items to each location as per details mentioned in BoQ Detail Document and Specification Document. Installation Testing and Commissioning of Goods is not in the scope of this package.</i></b>
9.	TS	Please arrange to provide the details of Media Converter to be supplied viz.  Speed: 10/100 or 10/100/1000; Type: Simplex/ Duplex; FO: Multimode or Single Mode	<b><i>Media Converters are to be supplied to selected locations only as per BoQ Detailed Document and Specification Document.</i></b>  <b><i>The updated Technical Specification Document is attached in BATC for reference.</i></b>  <b><i>Media converter must have suitable Ethernet interface 10/100Mbps, support IEEE 802.3 10Base-T, 802.3u 100Base-TX and 100Base-FX standards, IEEE 802.3x Flow Control &amp; Back Pressure.</i></b>  <b><i>Media converter shall be communicating with substation switch through single mode optical fiber cable on 1310nm wavelength. It should be of industrial grade type with operating temperature range +50°C of Maximum &amp; -5°C of Minimum of climatic condition.</i></b>
10.	BoQ	We understand that media converter is not to be supplied along with the camera against these item numbers; please confirm.	<b><i>Items are to be supplied as per description mentioned in BoQ Detail Document against each location.</i></b>  <b><i>Media Converters are to be supplied to selected locations only as per BoQ Detailed Document and Specification Document.</i></b>
11.	SoW	1. Please arrange to confirm the Scope of Supply: Is it only Supply of Goods or Supply Installation Testing and Commissioning of Goods  2. If the Scope of Supply is - Supply Installation Testing and Commissioning of Goods - then please arrange to confirm bidders' scope is limited to Installation Testing and Commissioning of Goods supplied by them only; any additional item required for successful commissioning shall be supplied, installed & commissioned by PGCIL only.	<b><i>The scope is limited to supply of items to each location as per details mentioned in BoQ Detail Document and Scope of Work included in Specification Document.</i></b>  <b><i>Installation Testing and Commissioning of Goods is not in the scope of this package.</i></b>

12.	BoQ	<p>1. Please arrange to provide site wise break up for 220 VDC/ 110 VDC enabling us to consider power converter &amp; surge arrester accordingly.</p> <p>2. You have mentioned - "industrial power grade converter". Please confirm for items wherein Media Converter is to be supplied whether the same power converter can be used, or a separate power converter needs to be supplied.</p> <p>3. Alternatively, can we provide suitable power converter from the Camera OEM and additional power converter for media converter wherever applicable.</p> <p>4. Please confirm the scope for supply of material (power cable) for extending supply to camera / equipment from BMK/ distribution board. If the same is to be considered in the scope of supply by the bidder, please arrange to confirm the site/ plant wise length.</p> <p>5. We are unable to find the details of MCB in the BOM for Item No. 1 to 31. Please arrange to confirm if the same is to be included in scope of supply by the bidder.</p>	<p><b>1. Power supply to camera placed in switchyard shall be extended at 220 V/110V DC from nearby BMK/Distribution Board in Switchyard. Site specific data shall be provided to successful bidder after placement of award.</b></p> <p><b>Wherever Media Converter is to be supplied, suitable power converter may be supplied for media converter separately or same converter used for Camera may also be used for media converter depending on the required input voltage.</b></p> <p><b>The scope is limited to supply of items to each location as per details mentioned in BoQ Detail Document and Scope of Work included in Specification Document. Supply of Cables or MCB is not included in the scope of subject package.</b></p>
-----	-----	--	---

13.	-	<p>Please arrange if the bidder proposes to supply PTZ camera from the List mentioned herein then the same would be acceptable to PGCIL and then shall not be subject to Technical Compliance &amp; Integration Demonstration with existing VMS/ NV R Software.</p>	<p><b><i>Bidders have to demonstrate successful integration of the offered camera model with existing VMS system of POWERGRID during pre-award stage if the offered model is not integrated with existing VMS system previously.</i></b></p> <p><b><i>The list included in Specification Document has models already found compatible for integration with VMS system of POWERGRID.</i></b></p> <p><b><i>However, The offered camera should comply with the Essential Requirements (ERs) for security prescribed by MeitY to ensure the security of the VMS system of POWERGRID.</i></b></p> <p><b><i>The security testing report for Camera issued by Standardization Testing and Quality Certification (STQC) Laboratory or any other agency notified by MeitY is mandatory before dispatch of item to respective locations by the supplier.</i></b></p>
-----	---	---	--

14.	TS	<p>We propose that the PTZ Camera must comply the cyber security standards such as:</p> <ol style="list-style-type: none"> <li>1. Camera OEM need to confirm in their letterhead that any component/ hardware / parts / assembly /software including firm wares used in the offered camera do not comply to GB28181, GB/T 28181-2011; GB/T28181-2011; GBT 28181-2011; GBT28181-2011 standards. There is no option to activate or deactivate these standards in the camera web page/Settings .</li> <li>2. MAC address of proposed CCTV cameras should be registered in the name of OEM supplying the cameras. Necessary documents to be submitted.</li> <li>3. Undertaking from OEM of CCTV Cameras that the offered cameras are ONVIF compatible. The models should be available on ONVIF.ORG website for the mentioned ONVIF profile compliance.</li> <li>4. Undertaking that "No Malicious Code" is embedded in the offered cameras.</li> <li>5. The Camera should use of HTTPS and TLS, providing the ability to upload signed certificates to encrypt and secure authentication and communication of both administration data and video streams.</li> <li>6. IPR (Intellectual Property Rights), SOC &amp; Chipset of the offered cameras should not be from the countries sharing land border with India.</li> <li>7. Software/ Firmware update through the CCTV network without connecting the camera to the internet. The Firmware should be updated in offline mode.</li> </ol>	<p><b>Items are to be supplied as per the Technical Specifications mentioned in Specification Document and BATC.</b></p> <p><b>The offered camera should comply with the Essential Requirements (ERs) for security prescribed by MeitY to ensure the security of the VMS system of POWERGRID.</b></p> <p><b>The security testing report for Camera issued by Standardization Testing and Quality Certification (STQC) Laboratory or any other agency notified by Meity is mandatory before dispatch of item to respective locations by the supplier.</b></p>
-----	----	--	--



15.	QR	<p>If we propose the camera from the OEM from the "LIST OF COMPATIBLE MAKE &amp; MODEL OF CAMERA FOR INTEGRATION WITH VMS APPLICATION AT NTAMC AS ON DATED 28.03.2024" which are already installed in PGCIL and supplied by other bidder as the OEM as a Global policy supplies equipment through Authorized Partners only, then do we meet the QR; please confirm do we still need to submit QR documents?</p>	<p><b><i>In case OEM of offered make has supplied Pan-Tilt-Zoom Camera (either from the list of compatible make &amp; model or otherwise) directly or through any dealer other than the bidder, then too, the supply shall be considered for evaluating the Technical Experience.</i></b></p> <p><b><i>However, all the relevant documents including those establishing supply and performance of Camera previously supplied by OEM/other dealer must be submitted by the Bidders for meeting the Qualification Requirements.</i></b></p>
16.	Product/Service specification	<p>M/s PGCIL have to confirm that bidder can offer other make/model as well which is integrated in the VMS application at NTAMC and not mentioned in the Compatible make &amp; Model List</p>	<p><b><i>Bidders can offer camera meeting the Technical Specifications mentioned in Specification Document and BATC.</i></b></p> <p><b><i>However, Bidders have to demonstrate successful integration of the offered camera model with existing VMS system of POWERGRID during pre-award stage if the offered model is not integrated with existing VMS system previously.</i></b></p>
17.		<p>M/s PGCIL have to confirm that the Model No. Not listed in the list but integrated in the NTAMC software for that demo have to perform by the bidder during technical evaluation for the acceptance</p>	<p><b><i>Bidders have to demonstrate successful integration of the offered camera model with existing VMS system during pre-award stage if the offered model is not integrated with existing VMS system previously.</i></b></p>
18.		<p>The offered camera should be integrated with the Qognify NET 3.1 UP1 software through Video &amp; Data Plug-ins and not through ONVIF, Bidder hereby request M/s PGCIL to incorporate this point in the corrigendum</p>	<p><b><i>Bidders have to demonstrate successful integration of the offered camera model with existing VMS system during pre-award stage as per the specifications mentioned in Bidding Document.</i></b></p>
19.		<p>The offered cameras will be integrated with the Qognify NET 3.1 UP1 software for which the camera license will be in M/s PGCIL Scope.</p>	<p><b><i>Camera license will not be in the scope of supplier under this package.</i></b></p>
20.		<p>M/s PGCIL have to provide the Power Input – 110 / 220 VDC site wise so that power supply can be selected accordingly</p>	<p><b><i>Power supply to camera placed in switchyard shall be extended at 220 V/110V DC from nearby BMK/Distribution Board in Switchyard</i></b></p>

21.	<b>Scope of Supply /Service</b>	M/s PGCIL have to confirm that whether bidder have to give Surge Protector or not.	<b>Surge Protectors are to be supplied by the Supplier as per Technical Specifications mentioned in Specification Document.</b>
22.		Bidders need confirmation that only Camera along with its Mounting arrangement, Power Supply, Media Converter along with its Power supply and Surge have to quote or any other items also need to consider.	<b>Items are to be supplied as per description mentioned in BoQ Detail Document against each location.</b>
23.	Bid Eligibility Criteria	M/s PGCIL have to confirm that EMI / EMC standards mentioned in the TS are applicable to all the active offered items or only for the camera.	<b>EMI / EMC standards is for all the active offered items.</b>  <b>EMC compliances are required to be submitted by the successful bidder before issue of dispatch clearance.</b>
24.		M/s PGCIL have to confirm bidder is requested to allow for the submission of EMI / EMC reports of the offered items through mail / GEM portal till 15th May'25 (One month after the bid opening date) as certified labs need at least a month time to conduct the test.	<b>EMC compliances are required to be submitted by the successful bidder before issue of dispatch clearance.</b>

**Updated TS & Scope of Work is attached in the BATC uploaded with the corrigendum. This shall form an integral part of the bid documents and shall be read in conjunction with the same and shall prevail over already uploaded TS & Scope in the GeM bid.**

**This corrigendum shall form an integral part of the bid documents and shall be read in conjunction with the same.**

10. Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.

8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

\*This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.

[This Bid is also governed by the General Terms and Conditions](#)