

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	25-09-2025 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	25-09-2025 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Power Grid Corporation Of India Limited
संगठन का नाम/Organisation Name	Power Grid Corporation Of India Limited
कार्यालय का नाम/Office Name	Corporate Office Gurgaon
कुल मात्रा/Total Quantity	222
वस्तु श्रेणी /Item Category	EX-WORKS for 420 kV, 3000A, 63KA, 1-Phase CT , EX-WORKS for 245 kV, 1600A, 50KA, 1-Phase CT , EX-WORKS for 145 kV, 600A, 40KA, 1-PHASE CT , EX-WORKS for 420 kV, 4400 pF CVT 1-Phase , EX-WORKS for 245 kV, 4400pf CVT 1- Phase , EX-WORKS for 145 kV, 8800pf, 1-phase CVT , F and I for 500kms for 420 kV, 3000A, 63KA, 1-Phase CT , F and I for 500kms for 245 kV, 1600A, 50KA, 1-Phase CT , F and I for 500kms for 145 kV, 600A, 40KA, 1-PHASE CT , F and I for 500kms for 420 kV, 4400 pF CVT 1-Phase , F and I for 500kms for 245 kV, 4400pf CVT 1- Phase , F and I for 500kms for145 kV, 8800pf, 1-phase CVT
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	400 kV Current Transformer, 400 kV CVT, 220 kV Current Transformer, 220 kV CVT, 145 kV Current Transformer
	<p>Searched String: 400 kV Current Transformer</p> <p>66 kV Current Transformer for Sub-stations / Power Houses (PSPCL)), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), 11 or 33 kV Outdoor Live Tank Current Transformer (BHEL), Distribution Transformer, 3 Phase, 11 kV > 200 KVA up to and Including 2500 KVA, Protective Current Transformer - Bhel (Em)-IS:2705, IS:16227, 66 kV Potential Transformer for Sub-stations / Power Houses (PSPCL), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Core Balance Current Transformers (CBCT) (BHEL), Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1)</p> <p>Searched String: 400 kV CVT</p>

बिड विवरण / Bid Details	Anti TB Drugs - Moxifloxacin 400 mg Tablets, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>(Part 1), SF6 Circuit Breaker, 245 kV, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), SF6 Circuit Breaker, 145 kV, Ultra low temperature laboratory deep freezer, Turbidity Standard, Modular Metal Drawer File Cabinet Pedestal, 66 kV Potential Transformer for Sub-stations / Power Houses (PSPCL), SF6 Circuit Breaker, 72.5 kV (V2)</p> <p>Searched String: 220 kV Current Transformer</p> <p>66 kV Current Transformer for Sub-stations / Power Houses (PSPCL)), Distribution Transformer, 3 Phase, 11 kV > 200 KVA up to and Including 2500 KVA, 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), 11 or 33 kV Outdoor Live Tank Current Transformer (BHEL), Voltage Transformer - Dual purpose - Indoor, Protective Current Transformer - BHEL (Em)-IS:2705, IS:16227, 66 kV Potential Transformer for Sub-stations / Power Houses (PSPCL), Transformer Winding Resistance Meter, Core Balance Current Transformers (CBCT) (BHEL), Capacitive Voltage Transformer (DTL)</p> <p>Searched String: 220 kV CVT</p> <p>XLPE Cable, Working Voltage from 66 kV up to and including 220 kV (V2) ISI Marked to IS 7098 (Part 3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), SF6 Circuit Breaker, 245 kV, Composite Long Rod Insulators (POWERGRID), SF6 Circuit Breaker, 145 kV, Small Angle Grinders, 66 kV Potential Transformer for Sub-stations / Power Houses (PSPCL), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), SF6 Circuit Breaker, 72.5 kV (V2), Curtains (V2)</p> <p>Searched String: 145 kV Current Transformer</p> <p>66 kV Current Transformer for Sub-stations / Power Houses (PSPCL)), Distribution Transformer, 3 Phase, 11 kV > 200 KVA up to and Including 2500 KVA, 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), 11 or 33 kV Outdoor Live Tank Current Transformer (BHEL), SF6 Circuit Breaker, 145 kV, Voltage Transformer - Dual purpose - Indoor, Protective Current Transformer - BHEL (Em)-IS:2705, IS:16227, Transformer Winding Resistance Meter, 66 kV Potential Transformer for Sub-stations / Power Houses (PSPCL), Core Balance Current Transformers (CBCT) (BHEL)</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<ul style="list-style-type: none"> Instrument Transformer - CT as per IS 2705
<p>बीओक्यू शीर्षक /BOQ Title</p>	<p>Instrument Transformer package INST 04</p>
<p>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover</p>	<p>No</p>
<p>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover</p>	<p>No</p>

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	EX-WORKS for 420 kV, 3000A, 63KA, 1-Phase CT
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	7 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	1182000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	102

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Power Grid Corporation of India Limited
Corporate Office Gurgaon, POWER GRID Corporation OF INDIA Limited, POWER GRID Corporation OF INDIA Limited, Ministry of Power
(Power Grid Corporation Of India Limited)

UIN Number NCTGC2415P**विभाजन/Splitting**

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are

validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Price Schedule - [1756205740.xlsx](#)

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
04-09-2025 11:00:00	Power Grid Corporation of India Limited 'Saudamini', 3rd Floor, Plot No.-2, Sector-29 Gurgaon (Haryana) - 122001.

EX-WORKS For 420 KV, 3000A, 63KA, 1-Phase CT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village-Palanpur (Badi), Taluka-Nakhatrana, Dist-Kutch, Gujarat 370001	54	456

EX-WORKS For 245 KV, 1600A, 50KA, 1-Phase CT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village-Palanpur (Badi), Taluka-Nakhatrana, Dist-Kutch, Gujarat 370001	21	456

EX-WORKS For 145 KV, 600A, 40KA, 1-PHASE CT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village-Palanpur (Badi), Taluka-Nakhatrana, Dist-Kutch, Gujarat 370001	15	456

EX-WORKS For 420 KV, 4400 PF CVT 1-Phase

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village-Palanpur (Badi), Taluka-Nakhatrana, Dist-Kutch, Gujarat 370001	6	456

EX-WORKS For 245 KV, 4400pf CVT 1- Phase

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village- Palanpur (Badi), Taluka- Nakhatrana, Dist-Kutch, Gujarat 370001	9	456

EX-WORKS For 145 KV, 8800pf, 1-phase CVT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village- Palanpur (Badi), Taluka- Nakhatrana, Dist-Kutch, Gujarat 370001	6	456

F And I For 500kms For 420 KV, 3000A, 63KA, 1-Phase CT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village- Palanpur (Badi), Taluka- Nakhatrana, Dist-Kutch, Gujarat 370001	54	456

F And I For 500kms For 245 KV, 1600A, 50KA, 1-Phase CT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village-Palanpur (Badi), Taluka-Nakhatrana, Dist-Kutch, Gujarat 370001	21	456

F And I For 500kms For 145 KV, 600A, 40KA, 1-PHASE CT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village-Palanpur (Badi), Taluka-Nakhatrana, Dist-Kutch, Gujarat 370001	15	456

F And I For 500kms For 420 KV, 4400 PF CVT 1-Phase

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village-Palanpur (Badi), Taluka-Nakhatrana, Dist-Kutch, Gujarat 370001	6	456

F And I For 500kms For 245 KV, 4400pf CVT 1- Phase

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village-Palanpur (Badi), Taluka-Nakhatrana, Dist-Kutch, Gujarat 370001	9	456

F And I For 500kms For145 KV, 8800pf, 1-phase CVT

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pushpendra Kumar Jaiswal	370001,POWER GRID CORPORATION OF INDIA LIMITED, 765/400/220 KV Bhuj Pooling Substation, Village- Palanpur (Badi), Taluka- Nakhatrana, Dist-Kutch, Gujarat 370001	6	456

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- Terms and conditions of the Bidding Documents uploaded under BuyerATC on GeM portal and provisions mentioned hereinbelow, will supersede the GeM GTC and the provisions mentioned above.
- Local Content of 60% for Class-I Local Supplier indicated above against each of the BOQ item is for the entire package and not for the respective individual item. The percentage of Minimum Local content to qualify as Class-I Local Supplier is 60% as defined in BuyerATC.
- Delivery Period indicated above against each of the BOQ item is total Contract duration for the subject package. Delivery period requirement shall be in line with BuyerATC.
- Primary product appearing above is for indicative purpose only. The relevant provisions regarding the same shall be governed as per BuyerATC.
- Documents required from seller shall be governed as per the provisions of BuyerATC.
- Bidders shall quote their all-inclusive Prices against each item (i.e. Unit Price and applicable GST) against the Category Bid in the financial portion of the bid on GeM portal. However, against Local/Inland transportation, In-transit insurance, loading and unloading (Freight & Insurance) charges, bidders shall quote Unit Price(inclusive of GST, if applicable) on 500km distance basis and the payment of the F&I Charges shall be made on actual distance basis in line with the provisions of BuyerATC. The prices (including taxes and duties)

es) Quoted by Bidders on GeM portal shall be final and shall be considered for evaluation and award purposes.

(vii) Warranty/Defect Liability Period of Goods to be procured under the subject package shall be in line with Clause GCC/SCC 22.1 enclosed in BuyerATC.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file](#).

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---