

## RFX

Gen-Open-SSTE

### Information

RFX number: 5002003305  
Version: 3

### RFX rules

Bidding Procedure : Public RFX  
Time zone : INDIA  
Package Specification No : ER2/NT/W-CSR/DOM/EC4/24/01671  
Bid Submission Deadline : 06.05.2024 15:00:00  
Tender Fee Submission Deadline : 25.04.2024 17:00:00  
Tender fee : 5.000,00 INR

EMD Amount : 321.000,00 INR  
EMD Submission Deadline : 06.05.2024 15:00:00

RFX Default Currency : INR  
Opening date of technical Bid : 06.05.2024 15:30:00

### Attachments:

GARPTS  
Vol III  
Vol II Part-II  
Vol II Part-I  
Vol I  
Corr&Extn-I  
Extension-II  
Digital Signature  
Digital Signature  
Extension-III  
Digital Signature

### RFX details: Powergrid invites tenders for the items below

| S.No | Material/Servi | Short Description | Quantity/Unit | POWERGRID | POWERGRID |
|------|----------------|-------------------|---------------|-----------|-----------|
|------|----------------|-------------------|---------------|-----------|-----------|

**Rfx**

Gen-Open-SSTE

**Information**

Rfx number: 5002003305

Version: 3

|      | ces     |                                          |               | HSN/SAC Code | HSN/SAC Rate (%) |
|------|---------|------------------------------------------|---------------|--------------|------------------|
| 1.AH | Service | 5.9.6 FORM WORK FOR COLUMN, PILLAR, PIER | 398,454 M2    | 995457       | 18,00            |
| 1.AJ | Service | 5.22.6 REINFORCEMENT STEEL - TMT BARS    | 19.788,217 KG | 995454       | 18,00            |
| 1.AK | Service | 5.22.6 REINFORCEMENT STEEL - TMT BARS    | 3.112,452 KG  | 995454       | 18,00            |
| 1.AL | Service | 6.4.2 BW CD7.5 NM BRICKS IN SS CM1:6     | 236,537 M3    | 995456       | 18,00            |
| 1.AM | Service | 9.48.1 MS GRILLS TO STEEL WINDOW FRAMES  | 2.352,972 KG  | 995476       | 18,00            |
| 1.AN | Service | 10.25.2 STEEL WORK WELDED-GRATING, FRAME | 2.374,020 KG  | 995476       | 18,00            |
| 1.AP | Service | 13.4.2 12MM CEM PLASTER 1:6(COARSE SAND) | 2.911,646 M2  | 995472       | 18,00            |
| 1.AQ | Service | 13.80WHITE CEMENT BASE PUTTY 1MM ON WALL | 2.911,646 M2  | 995472       | 18,00            |
| 1.AR | Service | 13.45.1FIN WALL-TEXTURED EXTERIOR PAINT  | 2.911,646 M2  | 995473       | 18,00            |
| 1.AS | Service | 13.61.1 SYNTHETIC ENAMEL PAINT-NEW WORK  | 169,489 M2    | 995473       | 18,00            |
| 1.AT | Service | 16.53 CONCERTINA COIL FENCING 600MM DIA  | 616,112 M     | 995421       | 18,00            |
| 2    | Outline | Part B: Main & Exit Gate                 | 1 AU          |              | 0,00             |
| 2.AA | Service | 2.8.1 EXCAVATION IN FDN TRENCHES W<1.5M  | 103,408 M3    | 995433       | 18,00            |
| 2.AB | Service | 2.25 FILLING AVAILABLE EXCAVATED EARTH   | 82,547 M3     | 995433       | 18,00            |
| 2.AC | Service | 2.35.3.1 ANTI-TERMITE TREATMENT UNDER FL | 76,630 M2     | 995433       | 18,00            |
| 2.AD | Service | Providing brick Bats soling joints fill  | 7,099 M3      | 995454       | 18,00            |
| 2.AE | Service | 4.1.8 CC 1:4:8 <PL COARSE SAND&CA-40MM   | 12,901 M3     | 995454       | 18,00            |
| 2.AF | Service | 4.10 PROVIDE AND LAYING DPC 40MM THK     | 12,231 M2     | 995454       | 18,00            |
| 2.AG | Service | 5.30 ADD FOR PLASTER DRIP COURSE/GROOVE  | 48,200 M      | 995478       | 18,00            |

For details of tender specification and other terms & conditions refer to the Bidding documents available at Technical Rfx tab

**Rfx**

Gen-Open-SSTE

**Information**

Rfx number: 5002003305

Version: 3

|      |         |                                          |              |        |       |
|------|---------|------------------------------------------|--------------|--------|-------|
| 2.AH | Service | 5.33.1 RMC M-25 CONCRETE UPTO PLINTH     | 22,926 M3    | 995454 | 18,00 |
| 2.AJ | Service | 5.33.2 RMC M-25 CONCRETE ABOVE PLINTH    | 53,273 M3    | 995454 | 18,00 |
| 2.AK | Service | 5.22.6 REINFORCEMENT STEEL-TMT BARS (KG) | 3.438,959 KG | 995454 | 18,00 |
| 2.AL | Service | 5.22A.6 REINF. STEEL - TMT BARS          | 7.990,945 KG | 995454 | 18,00 |
| 2.AM | Service | 5.9.1 FORM WORK FOR BASES OF COLUMNS     | 60,600 M2    | 995457 | 18,00 |
| 2.AN | Service | 5.9.3 FORM WORK FOR SLABS FLOORS         | 146,893 M2   | 995457 | 18,00 |
| 2.AP | Service | 5.9.5 FORM WORK FOR LINTEL, BEAM, GIRDER | 224,162 M2   | 995457 | 18,00 |
| 2.AQ | Service | 5.9.6 FORM WORK FOR COLUMN, PILLAR, PIER | 130,272 M2   | 995457 | 18,00 |
| 2.AR | Service | 5.11.1 EXTRA HT FOR SLAB CENTERING >3.5M | 147,008 M2   | 995454 | 18,00 |
| 2.AS | Service | 6.1.2 BW CD7.5 NM BRICKS <PLINTH CM1:6   | 6,116 M3     | 995456 | 18,00 |
| 2.AT | Service | 6.4.2 BW CD7.5 NM BRICKS IN SS CM1:6     | 30,797 M3    | 995456 | 18,00 |
| 2.AU | Service | 6.13.2 HALF BM IN SS CD7.5 BRICKS CM1:4  | 60,250 M2    | 995456 | 18,00 |
| 2.AV | Service | 6.15 EXTRA FOR 2X6MM MS BARS IN HALF BM  | 60,250 M2    | 995456 | 18,00 |
| 2.AW | Service | 9.20.1 35MM DECORATIVE FLUSHDOOR SHUTTER | 8,400 M2     | 995476 | 18,00 |
| 2.AX | Service | 9.127.2 PLAIN LAMINAT SHEET 1MM SHUTTERS | 16,800 M2    | 995476 | 18,00 |
| 2.AY | Service | 9.40.2.1 HW BEADING 50X12MM 2 D&W FRAMES | 24,800 M     | 995476 | 18,00 |
| 2.AZ | Service | 9.103 BRASS MORTICE LATCH & LOCK 100MM   | 4,000 EA     | 995476 | 18,00 |
| 2.BA | Service | 9.101.2AL FLOOR DOOR STOPPER TWIN RUBBER | 4,000 EA     | 995476 | 18,00 |
| 2.BB | Service | 10.14.1.2 PRESSED DOOR FRAMES PROFILE B  | 20,800 M     | 995476 | 18,00 |
| 2.BC | Service | 21.1.1.2POWDER COATED AL                 | 201,600 KG   | 995476 | 18,00 |

For details of tender specification and other terms & conditions refer to the Bidding documents available at Technical Rfx tab

**Rfx**

Gen-Open-SSTE

**Information**

Rfx number: 5002003305

Version: 3

|             |         |                                          |            |        |       |
|-------------|---------|------------------------------------------|------------|--------|-------|
|             |         | D/W/V/PARTITION                          |            |        |       |
| <b>2.BD</b> | Service | 21.1.2.2 PC AL D/W/V/PARTITION SHUTTERS  | 201,600 KG | 995476 | 18,00 |
| <b>2.BE</b> | Service | 21.3.2 GLAZING AL DOOR 5.50MM GLASS PANE | 33,600 M2  | 995476 | 18,00 |
| <b>2.BF</b> | Service | 11.26.1 25MM KOTA STONE FLOORING         | 47,324 M2  | 995474 | 18,00 |
| <b>2.BG</b> | Service | 8.2.2.2 GRANITE STONE KITCHEN PF >0.5SQM | 7,176 M2   | 995474 | 18,00 |
| <b>2.BH</b> | Service | 8.3.2 EDGE MOULDING TO GRANITE STONE     | 7,176 M    | 995474 | 18,00 |
| <b>2.BJ</b> | Service | 12.21.1 GOLA 75X75MM CC1:2:4 INCL FINISH | 117,750 M  | 995453 | 18,00 |
| <b>2.BK</b> | Service | 12.22 MAKING KHURRAS 45X45CM OF 5CM CC   | 12,000 EA  | 995453 | 18,00 |
| <b>2.BL</b> | Service | 22.7.1 INTEGRAL WATERPROOF ROOF, BALCONY | 203,911 M2 | 995453 | 18,00 |
| <b>2.BM</b> | Service | 13.4.2 12MM CEM PLASTER 1:6(COARSE SAND) | 214,116 M2 | 995472 | 18,00 |
| <b>2.BN</b> | Service | 13.16.1 6MM CEMENT PLASTER1:3(FINE SAND) | 194,217 M2 | 995472 | 18,00 |
| <b>2.BP</b> | Service | 13.80WHITE CEMENT BASE PUTTY 1MM ON WALL | 781,614 M2 | 995472 | 18,00 |
| <b>2.BQ</b> | Service | 13.11 18MM CEM PLASTER IN 2COATS 1:5&1:6 | 373,281 M2 | 995472 | 18,00 |
| <b>2.BR</b> | Service | 13.45.1FIN WALL-TEXTURED EXTERIOR PAINT  | 373,281 M2 | 995473 | 18,00 |
| <b>2.BS</b> | Service | 13.82.2ACRYLIC EMULSION PAINT WALL-2COAT | 408,333 M2 | 995473 | 18,00 |
| <b>2.BT</b> | Service | 21.19.2 FILING THE GAP IN BETWEEN        | 78,000 M   | 995476 | 18,00 |
| <b>2.BU</b> | Service | 4.17 MAKING PLINTH PROTECTION            | 58,880 M2  | 995454 | 18,00 |
| <b>1</b>    | Outline | Part A: Boundary Wall                    | 1 AU       |        | 0,00  |
| <b>1.AA</b> | Service | 2.8.1 EXCAVATION IN FDN TRENCHES W<1.5M  | 812,580 M3 | 995433 | 18,00 |
| <b>1.AB</b> | Service | 2.25 FILLING AVAILABLE EXCAVATED EARTH   | 598,309 M3 | 995433 | 18,00 |
|             |         |                                          |            |        |       |

For details of tender specification and other terms & conditions refer to the Bidding documents available at Technical Rfx tab

**Rfx**

Gen-Open-SSTE

**Information**

Rfx number: 5002003305

Version: 3

|             |         |                                          |            |        |       |
|-------------|---------|------------------------------------------|------------|--------|-------|
| <b>1.AC</b> | Service | 4.1.8 CC 1:4:8 <PL COARSE SAND&CA-40MM   | 49,369 M3  | 995454 | 18,00 |
| <b>1.AD</b> | Service | 5.33.1 RMC M-25 CONCRETE UPTO PLINTH     | 164,902 M3 | 995454 | 18,00 |
| <b>1.AE</b> | Service | 5.33.2 RMC M-25 CONCRETE ABOVE PLINTH    | 25,937 M3  | 995454 | 18,00 |
| <b>1.AF</b> | Service | 5.9.1 FORM WORK FOR BASES OF COLUMNS     | 635,244 M2 | 995457 | 18,00 |
| <b>1.AG</b> | Service | 5.9.5 FORM WORK FOR LINTEL, BEAM, GIRDER | 594,083 M2 | 995457 | 18,00 |

For details of tender specification and other terms & conditions refer to the Bidding documents available at Technical Rfx tab