



Bid Number/बोली क्रमांक (बिड संख्या):

GEM/2024/B/5733907

Dated/दिनांक : 23-12-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	07-01-2025 11:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	07-01-2025 11:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Power Grid Corporation Of India Limited
Organisation Name/संगठन का नाम	Power Grid Corporation Of India Limited
Office Name/कार्यालय का नाम	Corporate Office Gurgaon
Total Quantity/कुल मात्रा	8500
Item Category/मद केटेगरी	Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2) (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC), OEM Authorization Certificate, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Primary product category	Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Bid Details/बिड विवरण	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	267000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	18

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

POWERGRID

Power Grid Corporation of India Limited, Central Procurement Cell, Plot No. - 2A/INS 02, Avadh Vihar Yojna, Amar Shaheed Path, Near Medanta Hospital Lucknow- 226002 (UP)
(Power Grid Corporation Of India Limited)

Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. Bid reserved for Make In India products : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Xlpe Cables, Category C2 - FR - LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV As Per IS 7098 (Part 2) (1500 meter)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Types of cable	Single-core armoured (non-magnetic) screened
	Voltage Grade	Earthed systems: 1.9/3.3 kV, Earthed systems: 3.8/6.6 kV, Earthed systems: 6.35/11 kV, Earthed systems: 12.7/22 kV, Earthed systems: 19/33 kV, Unearthed system: 3.3/3.3kV, Unearthed system: 11/11kV

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same)	Yes, No
	Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same)	Yes, No
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC, Polyethylene
	"Nominal Cross Sectional Area of Conductor	185
CONSTRUCTIONAL	Armouring	Galvanized round steel wire armoured, Galvanized formed wires armoured, Unarmoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum, Steel drum

Additional Specification Parameters - Xlpe Cables, Category C2 - FR - LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV As Per IS 7098 (Part 2) (1500 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification Parameters	The specification mentioned above pertains to item"11 KV 1C X 185 sq mm (Aluminium Conductor) XLPE Power Cable". The item description is also mentioned in "POWERGRID SoW & Technical Specification" which is attached in GeM bid.The offered product should comply "POWERGRID SoW & Technical Specification ". In case of any discrepancy between "GeM golden parameters" and "POWERGRID SoW & Technical Specification", then "POWERGRID SoW & Technical Specification" will supersede.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Akash Trivedi	262405, Power Grid Corporation of India Limited Northern Region-III, Sitarganj 220/132 KV Substation, Khatima Road, Sitarganj, Distt.-Udham Singh Nagar, Uttarakhand-262405	1500	120

Xlpe Cables, Category C2 - FR - LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV As Per IS 7098 (Part 2) (4500 meter)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Types of cable	Single-core armoured (non-magnetic) screened
	Voltage Grade	Earthed systems: 1.9/3.3 kV, Earthed systems: 3.8/6.6 kV, Earthed systems: 6.35/11 kV, Earthed systems: 12.7/22 kV, Earthed systems: 19/33 kV, Unearthed system: 3.3/3.3kV, Unearthed system: 11/11kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same)	Yes, No
	Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same)	Yes, No
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC, Polyethylene
	"Nominal Cross Sectional Area of Conductor	300
CONSTRUCTIONAL	Armouring	Galvanized round steel wire armoured, Galvanized formed wires armoured, Unarmoured

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum, Steel drum

Additional Specification Parameters - Xlpe Cables, Category C2 - FR - LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV As Per IS 7098 (Part 2) (4500 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification Parameters	The specification mentioned above pertains to item"33 KV 1C X 300 sq mm (Aluminium Conductor) XLPE Power Cable". The item description is also mentioned in "POWERGRID SoW & Technical Specification" which is attached in GeM bid.The offered product should comply "POWERGRID SoW & Technical Specification ". In case of any discrepancy between "GeM golden parameters" and "POWERGRID SoW & Technical Specification", then "POWERGRID SoW & Technical Specification" will supersede.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Suroj Srinivas	283125,Power Grid Corporation of India Ltd, ±800kV HVDC Multi-Terminal Station and 765/400/220kV HVAC Station, POWERGRID, Shamashabad Road, Agra Uttar Pradesh-283125	500	120
2	Brijesh Kumar Verma	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	4000	120

Xlpe Cables, Category C2 - FR - LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV As Per IS 7098 (Part 2) (500 meter)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Types of cable	Single-core armoured (non-magnetic) screened
	Voltage Grade	Earthed systems: 1.9/3.3 kV, Earthed systems: 3.8/6.6 kV, Earthed systems: 6.35/11 kV, Earthed systems: 12.7/22 kV, Earthed systems: 19/33 kV, Unearthed system: 3.3/3.3kV, Unearthed system: 11/11kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same)	Yes, No
	Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same)	Yes, No
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC, Polyethylene
	"Nominal Cross Sectional Area of Conductor	300
CONSTRUCTIONAL	Armouring	Galvanized round steel wire armoured, Galvanized formed wires armoured, Unarmoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum, Steel drum

Additional Specification Parameters - Xlpe Cables, Category C2 - FR - LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV As Per IS 7098 (Part 2) (500 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification Parameters	The specification mentioned above pertains to item"33 KV 1C X 300 sq mm (Aluminium Conductor) XLPE Power Cable". The item description is also mentioned in "POWERGRID SoW & Technical Specification" which is attached in GeM bid.The offered product should comply "POWERGRID SoW & Technical Specification ". In case of any discrepancy between "GeM golden parameters" and "POWERGRID SoW & Technical Specification", then "POWERGRID SoW & Technical Specification" will supersede.

Specification Parameter Name	Bid Requirement (Allowed Values)

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Suroj Srinivas	283125, Power Grid Corporation of India Ltd, ±800kV HVDC Multi-Terminal Station and 765/400/220kV HVAC Station, POWERGRID, Shamashabad Road, Agra Uttar Pradesh- 283125	500	120

Xlpe Cables, Category C2 - FR - LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV As Per IS 7098 (Part 2) (2000 meter)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Types of cable	Single-core armoured (non-magnetic) screened
	Voltage Grade	Earthed systems: 1.9/3.3 kV, Earthed systems: 3.8/6.6 kV, Earthed systems: 6.35/11 kV, Earthed systems: 12.7/22 kV, Earthed systems: 19/33 kV, Unearthed system: 3.3/3.3kV, Unearthed system: 11/11kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same)	Yes, No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same)	Yes, No
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC, Polyethylene
	"Nominal Cross Sectional Area of Conductor	185
CONSTRUCTIONAL	Armouring	Galvanized round steel wire armoured, Galvanized formed wires armoured, Unarmoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum, Steel drum

Additional Specification Parameters - Xlpe Cables, Category C2 - FR - LSH, For Working Voltages From 3.3 KV Up To And Including 33 KV As Per IS 7098 (Part 2) (2000 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification Parameters	The specification mentioned above pertains to item"33 KV 1C X 185 sq mm (Aluminium Conductor) XLPE Power Cable". The item description is also mentioned in "POWERGRID SoW & Technical Specification" which is attached in GeM bid.The offered product should comply "POWERGRID SoW & Technical Specification ". In case of any discrepancy between "GeM golden parameters" and "POWERGRID SoW & Technical Specification", then "POWERGRID SoW & Technical Specification" will supersede.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Chandrashekhar Sharma	212601,POWERGRID CORPORATION OF INDIA LIMITED, FATEHPUR 765/400/220KV Substaion, Vill- Chauferva, Fatehpur-Lalganj- Lucknow Road, PO & Dist- Fatehpur Uttar Pradesh-212601	2000	120

Buyer added Bid Specific Additional Scope of Work

S.No.क्र.सं.	Document Title	Description	Applicable/रिवर्स प्रभार के अनुसार जीएसटी i.r.o. Items
1	SoW and TS for Supply of 11KV & 33KV XLPE Power Cables to Various Site of Northern Region-III (NR-III), POWERGRID View	SoW and TS for Supply of 11KV & 33KV XLPE Power Cables to Various Site of Northern Region-III (NR-III), POWERGRID	

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

2. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

3. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

4. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

5. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

7. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

“Supply of 11KV & 33KV XLPE Power Cables to Various Site of Northern Region-III (NR-III),POWERGRID”

Specification. No.: NCN0065

—
.

8. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

9. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Power Grid Corporation of India Limited
payable at
Lucknow
.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

10. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

Power Grid Corporation of India Limited
payable at
Lucknow
.

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---