



Bid Number/बोली क्रमांक (बिड संख्या): GEM/2024/B/5337723 Dated/दिनांक : 06-09-2024

# Bid Document/ बिड दस्तावेज़

Bid C	Petails/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	27-09-2024 11:00:00	
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	27-09-2024 11:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power	
Department Name/विभाग का नाम	Na	
Organisation Name/संगठन का नाम	Powergrid Energy Services Ltd	
Office Name/कार्यालय का नाम	Gurgaon	
Total Quantity/कुल मात्रा	105	
ltem Category/मद केटेगरी	Digital Multimeter as per IS 9000 (Q3) , true rms clamp meter (Q3)	
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No	
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes	
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	No	
RCM Applicable/लाग् आरसीएम	Yes	
Type of Bid/बिंड का प्रकार	Two Packet Bid	
Primary product category	Digital Multimeter as per IS 9000	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days	

Bid Details/बिंड विवरण	
Inspection Required (By Empanelled Inspection Authority / Agencies preregistered with GeM)	No
Evaluation Method/म्ल्यांकन पद्धति	Total value wise evaluation

### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	70000

### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India	
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	5.00	
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	28	

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

### Beneficiary/लाभार्थी :

Pavable at Gurugram

POWERGRID ENERGY SERVICES Ltd, Plot no.42, Sector -44 Gurugram, Haryana -122003 (Powergrid Energy Services Limited)

### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

### MSE Purchase Preference/एमएसई खरीद वरीयता

r			1
	MSE Purchase Preference/एमएसई खरीद वरीयता	Yes	

#### **Limited Tender**

Limited Tender Applicable		Yes	
	Reason for Limited Tendering	The sources of supply are definitely known and possibility of fresh source(s) beyond those being tapped is remote.	
	List of Seller Organization for participation	R S COMPONENTS AND CONTROLS (INDIA) LIMITED, The Maddox Company, M/S TECHTRONIX, SONEPAR INDIA PRIVATE LIMITED, JOSTS ENGINEERING COMAPNY LIMITED, NIKE ENERGY MANUFACTURING PRIVATE LIMITED	

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy

for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

- 2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents
- 3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

### Section 9(3) Of GST/जीएसटी की धारा 9(3)।

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM, unregistered seller, seller registered under composition scheme) will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

### Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता:

BOQ - upload in financial bid part - 1724910332.xlsx

### Digital Multimeter As Per IS 9000 (21 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

	DC Voltage Range  DC Voltage Accuracy	1000.0 (Volt)
-		0.1 (percent)
	DC Voltage resolution	0.1 (milliVolt)
-	AC Voltage Range	1000.0 (Volt)
	AC Voltage Accuracy	0.1 (percent)
	AC Voltage resolution	0.1 (milliVolt)
	DC Current Range	10.0 (Ampère)
	DC Current Accuracy	1.0 (percent)
	DC Current resolution	0.01 (milliAmpère)
	AC Current Range	10.0 (Ampère)
	AC Current Accuracy	1.5 (percent)
	AC Current resolution	0.1 (milliAmpère)
	Resistance Range	50.0 (megaOhm)
	Resistance Accuracy	1.0 (percent)
	Resistance resolution	0.1 (Ohm)
	Capacitance Range ( Micro farad )	.01 to 1000
	Capacitance Accuracy (%)	1.5
	Capacitance resolution ( nF )	1
	Frequency Range ( KHz )	100
	Frequency Accuracy ( % )	0.1
	Frequency resolution ( Hz )	0.01
	Temperature Range ( Degree C )	-40 to 400
	Temperature Accuracy ( % )	1.5

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
Temperature resolution ( Degree C )		1	
FEATURES	Туре	Hand Held	
	Display (Digits)	3.5	
Measurement Type		True RMS	
	Counts	6000, 50000, 10000, 20000, 30000, 40000, 60000, 70000, 80000, 90000, 100000, 200000, 20000000 Or higher	
SAFETY	Safety Rating	Category IV 600 V of IEC 61010	
WARRANTY	Warranty	5.0 (year)	

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicabl e/लाग् आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पि क रिवर्स प्रभार
NA	NA	Yes	18%	NA	NA	No

# Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	ANIK SEN	741248,POWERGRID, 765/400 KV New Jeerat Substation, NH- 34, Vill-Narapatipara, PO- Simurali, PS-Chakdaha, Dist- Nadia, WB	1	30
2	Nakum Jignesh	370605,765/400/220kV GIS Substation, Kotda-Ukheda Road, Survey No641,Vill. Jadodar Kotda, Tal. Nakhatrana, Kachchh, Gujrat	1	30

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
3	Vinay Shankar	852124,400/220/132kV Substation Village: Sihaul, At-Sihaul-Agwanpur,PS-Bihra Road,District:Saharsa	3	30
4	Akshat Tyagi	245205,400/200/132kV GIS Simbhavali S/s, Vill- Sikandarpur, Garh Mukteshwarpur, Hapur, U.P.	2	30
5	Ramendra Kumar	244410,400/220/132 kV GIS Sambhal S/s, Village- Pathakpur, Post-Pathakpur Police Station-Bahjoi, Tahsil- Chandausi, Sambhal, U.P	1	30
6	Kamal Baidya	477001,220/132kV Bhind Substation, village Jesoopura , Post: Laawan, Laawan-Barason Road, Bhind, MP	1	30
7	Sarsij Karare	473001,400/220 kV Guna Substation, Village: Ballapur Tehsil-Guna, M.P	2	30
8	Ravindra Kumar	721253,POWER GRID, Vill- Buramara, PO-Mangalbandi, Chandrakona Road (Nearest railway station), Sat- Bankura, PS- Garhbeta, Distt- West Medinipur, West Bengal,	1	30
9	Shailesh Ghildiyal	333514,765/400 kV Sub- Station, Badagaon-Rajota- Nizampur Road, Vill- Jasrapur, Dist-Jhunjhunu, Rajasthan- 333514	5	30
10	Rakesh Kumar Chaudhary	243701,765/400/220kV GIS Substation, Akonda, Khamaria, Near Radha Swami Satsang, Bhwan Milak Vilashpur Road,Tahsil-Milak, Rampur, UP	3	30
11	Sandeep Kumar	522617,Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh	1	30

# Digital Multimeter As Per IS 9000 (21 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MEASUREMENTS	DC Voltage Range	1000.0 (Volt)
	DC Voltage Accuracy	0.005 (percent)
	DC Voltage resolution	0.001 (milliVolt)
	AC Voltage Range	1000.0 (Volt)
	AC Voltage Accuracy	0.5 (percent)
	AC Voltage resolution	0.001 (milliVolt)
	DC Current Range	10.0 (Ampère)
	DC Current Accuracy	0.05 (percent)
	DC Current resolution	0.001 (milliAmpère)
	AC Current Range	10.0 (Ampère)
	AC Current Accuracy	0.5 (percent)
	AC Current resolution	0.001 (milliAmpère)
	Resistance Range	500.0 (megaOhm)
	Resistance Accuracy	0.08 (percent)
	Resistance resolution	0.01 (Ohm)
	Capacitance Range ( Micro farad )	.01 to 1000
	Capacitance Accuracy (%)	1.5
	Capacitance resolution ( nF )	1
	Frequency Range ( KHz )	1000
	Frequency Accuracy ( % )	0.1
	Frequency resolution ( Hz )	0.001
	Temperature Range ( Degree C )	-50 to 1000
	Temperature Accuracy ( % )	1.5
	Temperature resolution ( Degree C )	0.1
FEATURES	Туре	Hand Held
	Display (Digits)	4.5
	Measurement Type	True RMS
	Counts	50000, 60000, 70000, 80000, 90000, 100000, 200000, 20000000 Or higher
SAFETY	Safety Rating	Category III 600 V of IEC 61010.
WARRANTY	Warranty	5.0 <b>(year)</b>

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicabl e/लाग् आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पि क रिवर्स प्रभार
NA	NA	Yes	18%	NA	NA	No

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	ANIK SEN	741248,POWERGRID, 765/400 KV New Jeerat Substation, NH- 34, Vill-Narapatipara, PO- Simurali, PS-Chakdaha, Dist- Nadia, WB	1	30
2	Nakum Jignesh	370605,765/400/220kV GIS Substation, Kotda-Ukheda Road, Survey No641,Vill. Jadodar Kotda, Tal. Nakhatrana, Kachchh, Gujrat	1	30
3	Vinay Shankar	852124,400/220/132kV Substation Village: Sihaul, At-Sihaul-Agwanpur,PS-Bihra Road,District:Saharsa	3	30
4	Akshat Tyagi	245205,400/200/132kV GIS Simbhavali S/s, Vill- Sikandarpur, Garh Mukteshwarpur, Hapur, U.P.	2	30
5	Ramendra Kumar	244410,400/220/132 kV GIS Sambhal S/s, Village- Pathakpur, Post-Pathakpur Police Station-Bahjoi, Tahsil- Chandausi, Sambhal, U.P	1	30
6	Kamal Baidya	477001,220/132kV Bhind Substation, village Jesoopura , Post: Laawan, Laawan-Barason Road, Bhind, MP	1	30
7	Sarsij Karare	473001,400/220 kV Guna Substation, Village: Ballapur Tehsil-Guna, M.P	2	30

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
8	Ravindra Kumar	721253,POWER GRID, Vill- Buramara, PO-Mangalbandi, Chandrakona Road (Nearest railway station), Sat- Bankura, PS- Garhbeta, Distt- West Medinipur, West Bengal,	1	30
9	Shailesh Ghildiyal	333514,765/400 kV Sub- Station, Badagaon-Rajota- Nizampur Road, Vill- Jasrapur, Dist-Jhunjhunu, Rajasthan- 333514	5	30
10	Rakesh Kumar Chaudhary	243701,765/400/220kV GIS Substation, Akonda, Khamaria, Near Radha Swami Satsang, Bhwan Milak Vilashpur Road,Tahsil-Milak, Rampur, UP	3	30
11	Sandeep Kumar	522617,Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh	1	30

## **True Rms Clamp Meter (21 pieces)**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL FEATURES	Туре	Hand Held
	Display	3.5 digit Backlit LCD
	Measurement Type	True RMS
	count	6000
MEASUREMENT FEATURES	Resistance Measurement Range	100.0 (kiloOhm)
	Resistance Measurement Accuracy (+/-)	1.0 (percent)
	Frequency Measurement Range	0.5 (kiloHertz)
	Frequency Measurement Accuracy (+/-)	0.5 (percent)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	AC Current Measurement Range	100.0 (Ampère)
AC Current Measurement Accuracy (+/-)		2.0 (percent)
	AC Voltage Measurement Range	600.0 (Volt)
	AC Voltage Measurement Accuracy (+/-)	1.5 (percent)
	DC Current Measurement Range	100.0 (Ampère)
	DC Current Measurement Accuracy (+/-)	2.0 (percent)
	DC Voltage Measurement Range	400.0 (Volt)
	DC Voltage Measurement Accuracy (+/-)	1.0 (percent)
SAFETY	Safety Rating	CAT III 600 V of IEC 61010 -2-D31
SERVICE	Warranty	2.0 (year)

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicabl e/लाग् आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पि क रिवर्स प्रभार
NA	NA	Yes	18%	NA	NA	No

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	ANIK SEN	741248,POWERGRID, 765/400 KV New Jeerat Substation, NH- 34, Vill-Narapatipara, PO- Simurali, PS-Chakdaha, Dist- Nadia, WB	1	30
2	Nakum Jignesh	370605,765/400/220kV GIS Substation, Kotda-Ukheda Road, Survey No641,Vill. Jadodar Kotda, Tal. Nakhatrana, Kachchh, Gujrat	1	30
3	Vinay Shankar	852124,400/220/132kV Substation Village: Sihaul, At-Sihaul-Agwanpur,PS-Bihra Road,District:Saharsa	3	30
4	Akshat Tyagi	245205,400/200/132kV GIS Simbhavali S/s, Vill- Sikandarpur, Garh Mukteshwarpur, Hapur, U.P.	2	30
5	Ramendra Kumar	244410,400/220/132 kV GIS Sambhal S/s, Village- Pathakpur, Post-Pathakpur Police Station-Bahjoi, Tahsil- Chandausi, Sambhal, U.P	1	30
6	Kamal Baidya	477001,220/132kV Bhind Substation, village Jesoopura , Post: Laawan, Laawan-Barason Road, Bhind, MP	1	30
7	Sarsij Karare	473001,400/220 kV Guna Substation, Village: Ballapur Tehsil-Guna, M.P	2	30
8	Ravindra Kumar	721253,POWER GRID, Vill- Buramara, PO-Mangalbandi, Chandrakona Road (Nearest railway station), Sat- Bankura, PS- Garhbeta, Distt- West Medinipur, West Bengal,	1	30
9	Shailesh Ghildiyal	333514,765/400 kV Sub- Station, Badagaon-Rajota- Nizampur Road, Vill- Jasrapur, Dist-Jhunjhunu, Rajasthan- 333514	5	30
10	Rakesh Kumar Chaudhary	243701,765/400/220kV GIS Substation, Akonda, Khamaria, Near Radha Swami Satsang, Bhwan Milak Vilashpur Road,Tahsil-Milak, Rampur, UP	3	30

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
11	Sandeep Kumar	522617,Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh	1	30

# True Rms Clamp Meter (21 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL FEATURES	Туре	Hand Held
	Display	4 digit Backlit LCD
	Measurement Type	True RMS
	count	6000
MEASUREMENT FEATURES	Resistance Measurement Range	10.0 (kiloOhm)
	Resistance Measurement Accuracy (+/-)	1.0 (percent)
	Frequency Measurement Range	0.5 (kiloHertz)
	Frequency Measurement Accuracy (+/-)	0.5 (percent)
	AC Current Measurement Range	100.0 (Ampère)
	AC Current Measurement Accuracy (+/-)	2.0 (percent)
	AC Voltage Measurement Range	750.0 <b>(Volt)</b>
	AC Voltage Measurement Accuracy (+/-)	1.0 (percent)
	DC Current Measurement Range	100.0 (Ampère)
	DC Current Measurement Accuracy (+/-)	1.0 (percent)
	DC Voltage Measurement Range	400.0 <b>(Volt)</b>

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	DC Voltage Measurement Accuracy (+/-)	1.0 (percent)
SAFETY	Safety Rating	CAT III 600 V of IEC 61010 -2-D31
SERVICE	Warranty	1.0 (year)

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicabl e/लाग् आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पि क रिवर्स प्रभार
NA	NA	Yes	18%	NA	NA	No

# Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	ANIK SEN	741248,POWERGRID, 765/400 KV New Jeerat Substation, NH- 34, Vill-Narapatipara, PO- Simurali, PS-Chakdaha, Dist- Nadia, WB	1	30
2	Nakum Jignesh	370605,765/400/220kV GIS Substation, Kotda-Ukheda Road, Survey No641,Vill. Jadodar Kotda, Tal. Nakhatrana, Kachchh, Gujrat	1	30
3	Vinay Shankar	852124,400/220/132kV Substation Village: Sihaul, At-Sihaul-Agwanpur,PS-Bihra Road,District:Saharsa	3	30
4	Akshat Tyagi	245205,400/200/132kV GIS Simbhavali S/s, Vill- Sikandarpur, Garh Mukteshwarpur, Hapur, U.P.	2	30

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
5	Ramendra Kumar	244410,400/220/132 kV GIS Sambhal S/s, Village- Pathakpur, Post-Pathakpur Police Station-Bahjoi, Tahsil- Chandausi, Sambhal, U.P	1	30
6	Kamal Baidya	477001,220/132kV Bhind Substation, village Jesoopura , Post: Laawan, Laawan-Barason Road, Bhind, MP	1	30
7	Sarsij Karare	473001,400/220 kV Guna Substation, Village: Ballapur Tehsil-Guna, M.P	2	30
8	Ravindra Kumar	721253,POWER GRID, Vill- Buramara, PO-Mangalbandi, Chandrakona Road (Nearest railway station), Sat- Bankura, PS- Garhbeta, Distt- West Medinipur, West Bengal,	1	30
9	Shailesh Ghildiyal	333514,765/400 kV Sub- Station, Badagaon-Rajota- Nizampur Road, Vill- Jasrapur, Dist-Jhunjhunu, Rajasthan- 333514	5	30
10	Rakesh Kumar Chaudhary	243701,765/400/220kV GIS Substation, Akonda, Khamaria, Near Radha Swami Satsang, Bhwan Milak Vilashpur Road,Tahsil-Milak, Rampur, UP	3	30
11	Sandeep Kumar	522617,Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh	1	30

## True Rms Clamp Meter (21 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL FEATURES	Туре	Hand Held
	Display	3.5 digit Backlit LCD
	Measurement Type	True RMS

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
	count	6000		
MEASUREMENT FEATURES	Resistance Measurement Range	100.0 (kiloOhm)		
	Resistance Measurement Accuracy (+/-)	2.0 (percent)		
	Frequency Measurement Range	0.5 (kiloHertz)		
	Frequency Measurement Accuracy (+/-)	0.5 (percent)		
	AC Current Measurement Range	1000.0 (Ampère)		
	AC Current Measurement Accuracy (+/-)	2.0 (percent)		
	AC Voltage Measurement Range	750.0 (Volt)		
	AC Voltage Measurement Accuracy (+/-)	2.0 (percent)		
	DC Current Measurement Range	100.0 (Ampère)		
	DC Current Measurement Accuracy (+/-)	2.0 (percent)		
	DC Voltage Measurement Range	1000.0 (Volt)		
	DC Voltage Measurement Accuracy (+/-)	2.0 (percent)		
SAFETY	Safety Rating	CAT III 600 V of IEC 61010 -2-D31		
SERVICE	Warranty	1.0 (year)		

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicabl e/लाग् आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकार 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पि क रिवर्स प्रभार
NA	NA	Yes	18%	NA	NA	No

# Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.  Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी		Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1 ANIK SEN		741248,POWERGRID, 765/400 KV New Jeerat Substation, NH- 34, Vill-Narapatipara, PO- Simurali, PS-Chakdaha, Dist- Nadia, WB	1	30
2 Nakum Jignesh Sub Roa Jado		370605,765/400/220kV GIS Substation, Kotda-Ukheda Road, Survey No641,Vill. Jadodar Kotda, Tal. Nakhatrana, Kachchh, Gujrat	1	30
3	Vinay Shankar	852124,400/220/132kV Substation Village: Sihaul, At-Sihaul-Agwanpur,PS-Bihra Road,District:Saharsa	3	30
Akshat Tyagi  Simbhavali S/s, Sikandarpur, Ga Mukteshwarpur, Gambhal S/s, Vil Pathakpur, Post Police Station-B Chandausi, Sam 477001,220/132 Substation, villa Post: Laawan, Lawad, Bhind, MF Gad, Bhind, MF Gad, Bhind, MF Gad, Bhind, MF Garbil-Guna, M. Garbil-Guna		245205,400/200/132kV GIS Simbhavali S/s, Vill- Sikandarpur, Garh Mukteshwarpur, Hapur, U.P.	2	30
		244410,400/220/132 kV GIS Sambhal S/s, Village- Pathakpur, Post-Pathakpur Police Station-Bahjoi, Tahsil- Chandausi, Sambhal, U.P	1	30
		477001,220/132kV Bhind Substation, village Jesoopura , Post: Laawan, Laawan-Barason Road, Bhind, MP	1	30
		473001,400/220 kV Guna Substation, Village: Ballapur Tehsil-Guna, M.P	2	30
		721253,POWER GRID, Vill- Buramara, PO-Mangalbandi, Chandrakona Road (Nearest railway station), Sat- Bankura, PS- Garhbeta, Distt- West Medinipur, West Bengal,	1	30
		333514,765/400 kV Sub- Station, Badagaon-Rajota- Nizampur Road, Vill- Jasrapur, Dist-Jhunjhunu, Rajasthan- 333514	5	30
Rakesh Kumar Substation Chaudhary Near Radl Bhwan Mi		243701,765/400/220kV GIS Substation, Akonda, Khamaria, Near Radha Swami Satsang, Bhwan Milak Vilashpur Road,Tahsil-Milak, Rampur, UP	3	30

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
11	Sandeep Kumar	522617,Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh	1	30

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 2. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

#### 3. Generic

**Manufacturer Authorization:** Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

### 4. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

#### 5. Generic

- 1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
- 2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
- 3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

#### 6. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 7. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

### 8. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

### Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

#### This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---