

**बिड दस्तावेज़ / Bid Document**

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	08-09-2025 11:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	08-09-2025 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Power
विभाग का नाम / Department Name	Power Grid Corporation Of India Limited
संगठन का नाम / Organisation Name	Power Grid Corporation Of India Limited
कार्यालय का नाम / Office Name	Corporate Office Gurgaon
कुल मात्रा / Total Quantity	84

## बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

Articulated Boom Lift-13M , 1st Year Non-Comprehensive AMC starting from the date of completion of Warranty Period with minimum 01 routine visit in an AMC year of service engineer as per SOW-1st quarter , 1st Year Non-Comprehensive AMC starting from the date of completion of Warranty Period with minimum 01 routine visit in an AMC year of service engineer as per SOW-2nd quarter , 1st Year Non-Comprehensive AMC starting from the date of completion of Warranty Period with minimum 01 routine visit in an AMC year of service engineer as per SOW-3rd quarter , 1st Year Non-Comprehensive AMC starting from the date of completion of Warranty Period with minimum 01 routine visit in an AMC year of service engineer as per SOW-4th quarter , 2nd Year Non-Comprehensive AMC starting from the date of completion of 1st Year AMC with minimum 01 routine visit of service engineer as per SOW-1st quarter , 2nd Year Non-Comprehensive AMC starting from the date of completion of 1st Year AMC with minimum 01 routine visit of service engineer as per SOW-2nd quarter , 2nd Year Non-Comprehensive AMC starting from the date of completion of 1st Year AMC with minimum 01 routine visit of service engineer as per SOW-3rd quarter , 2nd Year Non-Comprehensive AMC starting from the date of completion of 1st Year AMC with minimum 01 routine visit of service engineer as per SOW -4th quarter , 3rd Year Non-Comprehensive AMC starting from the date of completion of 2nd Year AMC with minimum 01 routine visit of service engineer as per SOW-1st quarter , 3rd Year Non-Comprehensive AMC starting from the date of completion of 2nd Year AMC with minimum 01 routine visit of service engineer as per SOW -2nd quarter , 3rd Year Non-Comprehensive AMC starting from the date of completion of 2nd Year AMC with minimum 01 routine visit of service engineer as per SOW -3rd quarter , 3rd Year Non-Comprehensive AMC starting from the date of completion of 2nd Year AMC with minimum 01 routine visit of service engineer as per SOW-4th quarter , 4th Year Non-Comprehensive AMC starting from the date of completion of 3rd Year AMC with minimum 01 routine visit of service engineer as per SOW-1st quarter , 4th Year Non-Comprehensive AMC starting from the date of completion of 3rd Year AMC with minimum 01 routine visit of service engineer as per SOW -2nd quarter , 4th Year Non-Comprehensive AMC starting from the date of completion of 3rd Year AMC with minimum 01 routine visit of service engineer as per SOW -3rd quarter , 4th Year Non-Comprehensive AMC starting from the date of completion of 3rd Year AMC with minimum 01 routine visit of service engineer as per SOW-4th quarter , 5th Year Non-Comprehensive AMC starting from the date of completion of 4th Year AMC with minimum 01 routine visit of service engineer as per SOW-1st quarter , 5th Year Non-Comprehensive AMC starting from the date of completion of 4th Year AMC with minimum 01 routine visit of service engineer as per SOW -2nd quarter , 5th Year Non-Comprehensive AMC starting from the date of completion of 4th Year AMC with minimum 01 routine visit of service engineer as per SOW -3rd quarter , 5th Year Non-Comprehensive AMC starting from the date of completion of 4th Year AMC with minimum 01 routine visit of service engineer as per SOW-4th quarter

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Self-Propelled Articulating Boom Lift-13 MTR
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Self Propelled Articulated Boom Lift, Truck Mounted Boom Lift Platform, Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>Self Propelled Articulated Boom Lift</li> </ul>
बीओक्यू शीर्षक /BOQ Title	Supply of Self Propelled Articulating Boom Lift
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Articulated Boom Lift-13M
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

बिड विवरण/Bid Details	
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	644000

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	20

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### लाभार्थी /Beneficiary :

Power Grid Corporation of India Limited  
Power Grid Corporation of India Limited, Centralized Procurement Cell, Northern Region - III Headquarter Plot No. - 2A/INS 02, Avadh Vihar Yojna, Amar Shaheed Path, Lucknow- 226002 (UP)  
(Power Grid Corporation Of India Limited)

#### विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

#### एमएसई खरीद वरीयता/MSE Purchase Preference

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

#### Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid  
Date and Time

प्री-बिड स्थान/Pre-Bid Venue

28-08-2025 11:00:00	Power Grid Corporation of India Limited, Centralized Procurement Cell, Northern Region - III Headquarter, Plot No. – 2A/INS 02, Avadh Vihar Yojna, Amar Shaheed Path, Lucknow- 226002 (UP)
---------------------	---

### Articulated Boom Lift-13M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	180

### Articulated Boom Lift-13M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharaniabagh Substation, Behlulpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	180

**Articulated Boom Lift-13M**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	180

**Articulated Boom Lift-13M**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	180

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW-2nd Quarter**



(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW-3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-2nd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

### 3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

### 3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

### 3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

### 4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year  
AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year  
AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------



**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

## 5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

## 5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year  
AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year  
AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Akash Pratap Singh	224188,POWERGRID CORPORATION OF INDIA LIMITED, 400/220kV Sohawal Substation, Village-Mujaffarpur, Post-Akhtiyarpur, Near Lohiya Pul (Bhelsar), Faizabad, Uttar Pradesh-224116	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharaniabagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW-2nd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharaniabagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW-3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharani Bagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharaniabagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

## 2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharaniabagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

## 2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-2nd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90



## 2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -4th Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

## 3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

### 3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

### 3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

**3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

#### 4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

##### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

##### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharaniabagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

#### 4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

##### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

##### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

**4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year  
AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

**4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year  
AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

## 5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharaniabagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

## 5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Brijesh Yadav	110013,POWERGRID CORPORATION OF INDIA LIMITED, HVDC DADRI, 400/220 KV GIS Maharanibagh Substation, Behlolpur Khadar (In Front of Sarai Kale Khan ISBT), New Delhi-110013	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Yearof Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------



**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Yearof Service Engineer As Per SOW-2nd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Yearof Service Engineer As Per SOW-3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

## 2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

## 2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-2nd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year  
AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

#### 4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

#### 4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110075,Power Grid Corporation of India Limited, 400/220KV GIS Substation, Sector-5, Dwarka, New Delhi-110075	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW-**

## 1st Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

## 1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty Period With Minimum 01 Routine Visit In An AMC Year of Service Engineer As Per SOW- 2nd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty  
Period With Minimum 01 Routine Visit In An AMC Yearof Service Engineer As Per SOW-  
3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**1st Year Non-Comprehensive AMC Starting From The Date Of Completion Of Warranty  
Period With Minimum 01 Routine Visit In An AMC Yearof Service Engineer As Per SOW-  
4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-2nd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**2nd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 1st Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**3rd Year Non-Comprehensive AMC Starting From The Date Of Completion Of 2nd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year**

## AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

## 4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**4th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 3rd Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year  
AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-1st Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year  
AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -2nd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local  
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

**5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW -3rd Quarter**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

## 5th Year Non-Comprehensive AMC Starting From The Date Of Completion Of 4th Year AMC With Minimum 01 Routine Visit Of Service Engineer As Per SOW-4th Quarter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajat Agrawal	303106,Powergrid Corporation of India Limited, 400KV Kotputli S/s, Village-Khelna, PO-Paota, Tehsil-Kotputli, District-Jaipur, Rajasthan-303106	1	90

### क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

#### 1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### 2. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

#### 3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

#### 4. **Generic**

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 5. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

#### 6. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

#### 7. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Powergrid Corporation Of India Limited  
payable at  
LUCKNOW

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 8. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

Powergrid Corporation Of India Limited  
payable at  
LUCKNOW

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**" पावरग्रिड के एनआर-I और एनआर-III क्षेत्रों के विभिन्न स्थानों पर 05 वर्षीय गैर-व्यापक एएमसी के साथ स्व-चालित आर्टिकुलेटिंग बूम लिफ्ट ( 13 मीटर) की आपूर्ति "**

**"Supply of Self-Propelled Articulating Boom Lift (13 mtr) with 05 - year Non comprehensive AMC at various locations of NR-I and NR-III Regions of POW ERGRID"**



## **Specification. No.: NCN0197**

### **10. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

### **अस्वीकरण/Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976,**

**The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा। In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**