



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5636450
Dated/दिनांक : 26-11-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	17-12-2024 11:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	17-12-2024 11:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Power Grid Corporation Of India Limited
Organisation Name/संगठन का नाम	Power Grid Corporation Of India Limited
Office Name/कार्यालय का नाम	Corporate Office Gurgaon
Total Quantity/कुल मात्रा	200
Item Category/मद केटेगरी	Supply of 220V 490AH Battery Bank- Ni-Cd type and Buy Back , Supply of 1.2V 490AH Ni-Cd Spare Cell , Service charges for Dismantling of existing battery set, installation, testing and commissioning , Supply of 48V 810AH Battery Bank- Ni-Cd type and Buy Back , Supply of 1.2V 810AH Spare Cell , Supply of 48V 600AH Battery Bank- Ni-Cd type and Buy Back , Supply of Spare cells 1.2V 600AH HVM type cells , Supply of 48V 715AH Battery Bank- Ni-Cd type and Buy Back , Supply of Spare cells 1.2V 715AH HVM type cells , Supply of 220V 355AH Battery Bank- Ni-Cd type and Buy Back , Supply of Spare cells 1.2V 355AH HVM type cells , Supply of 48V 465AH Battery Bank- Ni-Cd type and Buy Back , Supply of Spare cells 1.2V 465AH HVM type cells , Supply of 1.2V 715AH Spare Cell , Supply of 220V 540AH Battery Bank- Ni-Cd type and Buy Back , Supply of 1.2V 540AH Spare Cell , Supply of Spare cells 1.2V 600P HVM type cells , Supply of 220V 370AH Battery Bank- Ni-Cd type and Buy Back , Supply of 1.2 V 370AH capacity Ni-Cd Spare cells. , Supply of 1.2V 370AH capacity Ni-Cd Spare cells. , Supply of 1.2V 370AH Ni-Cd Spare Cell , Supply of 1.2V 600AH Ni-Cd Spare Cell. , Supply of 220V 600AH Battery Bank Ni-Cd type , Supply of 1.2V 600AH Ni-Cd Spare Cell , Supply of 48V 1080AH Battery Bank- Ni-Cd type and Buy Back , Supply of 1.2V 1080AH capacity Ni-Cd Spare cells.
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	Nickel Cadmium Battery Banks

Bid Details/बिड विवरण	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Vented Type Nickel Cadmium Batteries - IS 10918, Portable sealed rechargeable single cells - Nickel-Cadmium (Rechargeable batteries) as per IS:16048 (Part 1)/IEC:61951-1, Button Cell or Coin Cell Battery, Portable Sealed Rechargeable Single Cells - Nickel - Metal Hydride (Rechargeable Batteries) as per IS 16048, 16046
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Button Cell or Coin Cell Battery • Vented Type Nickel Cadmium Batteries - IS 10918 • Portable sealed rechargeable single cells - Nickel-Cadmium (Rechargeable batteries) as per IS:16048 (Part 1)/IEC:61951-1
BOQ Title/बीओक्यू शीर्षक	Ni Cd Battery Banks including buyback
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Supply of 220V 490AH Battery Bank- Ni-Cd type and Buy Back
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Financial Document Required/वित्तीय दस्तावेज़ की आवश्यकता है।	Yes
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	1276000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	20

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Power Grid Corporation of India Limited
Centralized Procurement Cell, Regional Headquarter, Northern Region-III, Plot No 2A/INS02, Awadh Vihar Yojna, Amar Shaheed Path, Lucknow, Uttar Pradesh - 226002
(Powergrid)

Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small

Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :

BOQ Breakup - [1732613649.xlsx](#)

Supply Of 220V 490AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Raj Kumar	221313,Power Grid Corporation of India Limited, 765/400KV GIS Substation ,Village& Post- Thathra,NH(Bihara) to Jhaua Road,32KM Milestone,Allahabad-Varanasi Highway NH-2,Varanasi-221313,Uttar Pradesh	2	180

Supply Of 1.2V 490AH Ni-Cd Spare Cell**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Raj Kumar	221313,Power Grid Corporation of India Limited, 765/400KV GIS Substation ,Village& Post- Thathra,NH(Bihara) to Jhaua Road,32KM Milestone,Allahabad-Varanasi Highway NH-2,Varanasi-221313,Uttar Pradesh	10	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Raj Kumar	221313,Power Grid Corporation of India Limited, 765/400KV GIS Substation ,Village& Post- Thathra,NH(Bihara) to Jhaua Road,32KM Milestone,Allahabad-Varanasi Highway NH-2,Varanasi- 221313,Uttar Pradesh	2	180

Supply Of 48V 810AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Raj Kumar	221313,Power Grid Corporation of India Limited, 765/400KV GIS Substation ,Village& Post- Thathra,NH(Bihara) to Jhaua Road,32KM Milestone,Allahabad-Varanasi Highway NH-2,Varanasi-221313,Uttar Pradesh	2	180

Supply Of 1.2V 810AH Spare Cell

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Raj Kumar	221313,Power Grid Corporation of India Limited, 765/400KV GIS Substation ,Village& Post- Thathra,NH(Bihara) to Jhaua Road,32KM Milestone,Allahabad-Varanasi Highway NH-2,Varanasi-221313,Uttar Pradesh	6	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Raj Kumar	221313,Power Grid Corporation of India Limited, 765/400KV GIS Substation ,Village& Post-Thathra,NH(Bihara) to Jhaua Road,32KM Milestone,Allahabad-Varanasi Highway NH-2,Varanasi-221313,Uttar Pradesh	2	180

Supply Of 48V 600AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	2	180

Supply Of Spare Cells 1.2V 600AH HVM Type Cells

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	6	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	2	180

Supply Of 48V 715AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	2	180

Supply Of Spare Cells 1.2V 715AH HVM Type Cells

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	6	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	2	180

**Supply Of 220V 355AH Battery Bank- Ni-Cd Type And Buy Back
(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	1	180

Supply Of Spare Cells 1.2V 355AH HVM Type Cells

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	5	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	1	180

Supply Of 220V 355AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	1	180

Supply Of Spare Cells 1.2V 355AH HVM Type Cells

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	5	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	1	180

Supply Of 48V 465AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	1	180

Supply Of Spare Cells 1.2V 465AH HVM Type Cells

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	3	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	1	180

**Supply Of 48V 465AH Battery Bank- Ni-Cd Type And Buy Back
(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	1	180

Supply Of Spare Cells 1.2V 465AH HVM Type Cells

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	3	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pankaj Kumar Rai	221716,Powergrid Corporaion of India Limited, 765/400KV HVAC, 500KV HVDC, Village and Post- Ibrahimpatti, (Via Krihirapur), Tehsil-Belthra Road, District-Ballia, Uttar Pradesh-221716	1	180

**Supply Of 48V 715AH Battery Bank- Ni-Cd Type And Buy Back
(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Aakash Rustagi	202141,POWER GRID CORPORATION OF INDIA LTD, 765/400 kV GIS Sub Station, Village: Keelpur, Tahsil - Khair, Dist.- Aligarh, Uttar Pradesh 202141	2	180

Supply Of 1.2V 715AH Spare Cell

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Aakash Rustagi	202141,POWER GRID CORPORATION OF INDIA LTD, 765/400 kV GIS Sub Station, Village: Keelpur, Tahsil - Khair, Dist.- Aligarh, Uttar Pradesh 202141	6	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Aakash Rustagi	202141,POWER GRID CORPORATION OF INDIA LTD, 765/400 kV GIS Sub Station, Village: Keelpur, Tahsil - Khair, Dist.- Aligarh, Uttar Pradesh 202141	2	180

Supply Of 220V 540AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shubham Seth	205262,Power Grid Corporation of India Limited, Northern Region Transmission System-III, 400/220kV Mainpuri S/S,12th KM Mile Stone,Mainpuri-Bhogaon Road, Bhogaon, Mainpuri-205262(U.P)	2	180

Supply Of 1.2V 540AH Spare Cell

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shubham Seth	205262,Power Grid Corporation of India Limited, Northern Region Transmission System-III, 400/220kV Mainpuri S/S,12th KM Mile Stone,Mainpuri-Bhogaon Road, Bhogaon, Mainpuri-205262(U.P)	10	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shubham Seth	205262,Power Grid Corporation of India Limited, Northern Region Transmission System-III, 400/220kV Mainpuri S/S,12th KM Mile Stone,Mainpuri-Bhogaon Road, Bhogaon, Mainpuri-205262(U.P)	2	180

Supply Of 48V 600AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shubham Seth	205262,Power Grid Corporation of India Limited, Northern Region Transmission System-III, 400/220kV Mainpuri S/S,12th KM Mile Stone,Mainpuri-Bhogaon Road, Bhogaon, Mainpuri-205262(U.P)	2	180

Supply Of Spare Cells 1.2V 600P HVM Type Cells

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shubham Seth	205262,Power Grid Corporation of India Limited, Northern Region Transmission System-III, 400/220kV Mainpuri S/S,12th KM Mile Stone,Mainpuri-Bhogaon Road, Bhogaon, Mainpuri-205262(U.P)	10	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shubham Seth	205262,Power Grid Corporation of India Limited, Northern Region Transmission System-III, 400/220kV Mainpuri S/S,12th KM Mile Stone,Mainpuri-Bhogaon Road, Bhogaon, Mainpuri-205262(U.P)	2	180

Supply Of 220V 370AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Navya. S	683565,POWERGRID CORPORATION OF INDIA LIMITED, 400/220 kV KOCHI SUBSTATION, PALLIKKARA, KUMARAPURAM PO, KOCHI, Kerala-683565	1	180

Supply Of 1.2 V 370AH Capacity Ni-Cd Spare Cells.

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Navya. S	683565,POWERGRID CORPORATION OF INDIA LIMITED, 400/220 kV KOCHI SUBSTATION, PALLIKKARA, KUMARAPURAM PO, KOCHI, Kerala-683565	17	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Navya. S	683565,POWERGRID CORPORATION OF INDIA LIMITED, 400/220 kV KOCHI SUBSTATION, PALLIKKARA, KUMARAPURAM PO, KOCHI, Kerala-683565	1	180

Supply Of 220V 370AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhanapal Santhanam	603202,POWER GRID CORPORATION OF INDIA LIMITED, 400/230KV SUBSTATION, KALIVANTHAPATTU, NEAR GUDUVANCHERRY, DIST. KANCHEEPURAM, Tamil Nadu-603202	1	180

Supply Of 1.2V 370AH Capacity Ni-Cd Spare Cells.

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Dhanapal Santhanam	603202,POWER GRID CORPORATION OF INDIA LIMITED, 400/230KV SUBSTATION, KALIVANTHAPATTU, NEAR GUDUVANCHERRY, DIST. KANCHEEPURAM, Tamil Nadu-603202	17	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Dhanapal Santhanam	603202,POWER GRID CORPORATION OF INDIA LIMITED, 400/230KV SUBSTATION, KALIVANTHAPATTU, NEAR GUDUVANCHERRY, DIST. KANCHEEPURAM, Tamil Nadu-603202	1	180

Supply Of 220V 370AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S Akaash	620012,POWERGRID CORPORATION OF INDIA LIMITED, 400/230kV, TRICHY SUBSTATION FATHIMA NAGAR POST, VILL- ALUNDUR, TRICHY, TAMILNADU - 620012	1	180

Supply Of 1.2V 370AH Ni-Cd Spare Cell

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S Akaash	620012,POWERGRID CORPORATION OF INDIA LIMITED, 400/230kV, TRICHY SUBSTATION FATHIMA NAGAR POST, VILL- ALUNDUR, TRICHY, TAMILNADU - 620012	17	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	S Akaash	620012,POWERGRID CORPORATION OF INDIA LIMITED, 400/230kV, TRICHY SUBSTATION FATHIMA NAGAR POST, VILL- ALUNDUR, TRICHY, TAMILNADU - 620012	1	180

Supply Of 48V 600AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S Akaash	620012,POWERGRID CORPORATION OF INDIA LIMITED, 400/230kV, TRICHY SUBSTATION FATHIMA NAGAR POST, VILL- ALUNDUR, TRICHY, TAMILNADU - 620012	1	180

Supply Of 1.2V 600AH Ni-Cd Spare Cell.

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S Akaash	620012,POWERGRID CORPORATION OF INDIA LIMITED, 400/230kV, TRICHY SUBSTATION FATHIMA NAGAR POST, VILL- ALUNDUR, TRICHY, TAMILNADU - 620012	4	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	S Akaash	620012,POWERGRID CORPORATION OF INDIA LIMITED, 400/230kV, TRICHY SUBSTATION FATHIMA NAGAR POST, VILL- ALUNDUR, TRICHY, TAMILNADU - 620012	1	180

Supply Of 220V 600AH Battery Bank Ni-Cd Type

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sai Reddy Vedulla	572136,"POWERGRID CORPORATION OF INDIA LIMITED, 400/220 kV PAVAGADA POOLING STATION, Kyatagancherlu-Vill, Venkatamanahalli-Post, Pavagada-Taluk, Tumkur Dist, Karnataka-572136"	1	180

Supply Of 1.2V 600AH Ni-Cd Spare Cell

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sai Reddy Vedulla	572136,"POWERGRID CORPORATION OF INDIA LIMITED, 400/220 kV PAVAGADA POOLING STATION, Kyatagancherlu-Vill, Venkatamanahalli-Post, Pavagada-Taluk, Tumkur Dist, Karnataka-572136"	17	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Sai Reddy Vedula	572136,"POWERGRID CORPORATION OF INDIA LIMITED, 400/220 kV PAVAGADA POOLING STATION, Kyatagancherlu-Vill, Venkatamanahalli-Post, Pavagada-Taluk, Tumkur Dist, Karnataka-572136"	1	180

Supply Of 48V 1080AH Battery Bank- Ni-Cd Type And Buy Back

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sai Reddy Vedulla	572136,"POWERGRID CORPORATION OF INDIA LIMITED, 400/220 kV PAVAGADA POOLING STATION, Kyatagancherlu-Vill, Venkatamanahalli-Post, Pavagada-Taluk, Tumkur Dist, Karnataka-572136"	2	180

Supply Of 1.2V 1080AH Capacity Ni-Cd Spare Cells.

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sai Reddy Vedulla	572136,"POWERGRID CORPORATION OF INDIA LIMITED, 400/220 kV PAVAGADA POOLING STATION, Kyatagancherlu-Vill, Venkatamanahalli-Post, Pavagada-Taluk, Tumkur Dist, Karnataka-572136"	8	180

Service Charges For Dismantling Of Existing Battery Set, Installation, Testing And Commissioning

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sai Reddy Vedula	572136,"POWERGRID CORPORATION OF INDIA LIMITED, 400/220 kV PAVAGADA POOLING STATION, Kyatagancherlu-Vill, Venkatamanahalli-Post, Pavagada-Taluk, Tumkur Dist, Karnataka-572136"	2	180

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

4. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

5. **Generic**

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

7. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Power Grid Corporation of India Limited
payable at
Lucknow

. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

8. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

Power Grid Corporation of India Limited

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

9. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

Power Grid Corporation of India Limited
payable at
Lucknow

. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

10. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Power Grid Corporation of India Limited
payable at
Lucknow

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

11. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides

PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Power Grid Corporation of India Limited

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

12. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

पावरग्रिड के उ.क्षे.-III और द.क्षे.-II क्षेत्रों में विभिन्न सबस्टेशनों पर Ni-Cd बैटरी बैंकों की आपूर्ति और रेट्रोफिटमेंट” के लिए एनआईटी और बोली दस्तावेज़ अनुमोदन।

NIT and Bid Document approval for “Supply and Retro fitment of Ni- Cd Battery Banks at various Substations in NR-III and SR-II Regions of POWERGRID”.(Specification No.: NCN0045)

13. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the

case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---