



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5093173
Dated/दिनांक : 08-08-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	29-08-2024 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	29-08-2024 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Power Grid Corporation Of India Limited
Organisation Name/संगठन का नाम	Power Grid Corporation Of India Limited
Office Name/कार्यालय का नाम	Corporate Office Gurgaon
Total Quantity/कुल मात्रा	131
Item Category/मद केटेगरी	Executive Table (V2) (Q3) (PAC Only) , Revolving Chair (V3) (Q2) (PAC Only) , Chair Office (V2) (Q3) (PAC Only) , Cafeteria Table (Q2) (PAC Only) , Cafeteria Chair (Q2) (PAC Only) , Sofas (V2) (Q3) (PAC Only) , Almirah Steel (V2) (Q3) (PAC Only)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Primary product category	Executive Table (V2)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days

Bid Details/बिड विवरण

Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	399182
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

Details of the Competent Authority approval for PAC

Competent Authority Approval document for PAC : [View Document](#)

Name of Competent Authority	CGM AM
Designation of Competent Authority	CGM AM
Office / Department / Division of Competent Authority	WR-1
CA Approval Number	831364
Competent Authority Approval Date	2024-06-26 00:00:00
Brief Description of the Approval Granted by Competent Authority	POWERGRID & GODREJ are in rate contract agreement vide Ref. C/MM/GODREJ ITEMS RC/2023/4675 dtd 26.12.2023 valid upto 31.12.2026. The Sellers/dealers shall ensure the offered rates are meeting the minimum criteria of said rate contract along with T&C.

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Executive Table (V2) (1 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriocignus2100witheru1200attached

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	Both side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1500 mm
	Depth of table ±10 mm	900 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026,Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO-Uppalwadi	1	45

Executive Table (V2) (4 pieces) (Under PAC)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	godrejinteriocignusmaintable1650with900

Technical Specifications/तकनीकी विशिष्टियाँ[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	Both side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Leg Material	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1650 mm
	Depth of table ±10 mm	750 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	1 drawer
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026,Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO-Uppalwadi	4	45

Revolving Chair (V3) (13 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
------	---------------

Model	godrejinteriomarvelhighback
-------	-----------------------------

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leatherette
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leatherette
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026,Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO-Uppalwadi	13	45

Chair Office (V2) (15 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriomarvelvisitorchair

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Continuous armrest
	Seat type	Padded
	Backrest type	Padded
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Stainless Steel (SS 202)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
SEAT FABRICATION	Seat material	Moulded Plywood
	Seat material thickness	40 mm
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	45
	Seat upholstered with	Leatherette
	GSM of seat cover (± 3 GSM)	390 GSM
BACKREST FABRICATION	Backrest material	Moulded Plywood
	Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter)	45
	Backrest upholstered with	Leatherette
DIMENSION	Seat Depth (± 5 mm)	480 mm
	Seat Width (± 5 mm)	460 mm
	Seat height from floor surface (± 5 mm)	435 mm
	Backrest width (± 5 mm)	470 mm
	Backrest height from seat (± 5 mm)	480 mm
COLOUR AND FINISH	Paint Type	N.A
	Polish Type	N.A
	Colour of Paint	N.A
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No
	Test reports to be furnished to buyer on demand	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026,Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO-Uppalwadi	15	45

Revolving Chair (V3) (2 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriolasedehighbackchair

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over plastic inner
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leather

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026, Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO-Uppalwadi	2	45

Chair Office (V2) (10 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriola-sedevisitorchair

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Continuous armrest
	Seat type	Padded
	Backrest type	Padded
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Stainless Steel (SS 202)
SEAT FABRICATION	Seat material	Moulded Plywood
	Seat material thickness	40 mm
	Density of Polyurethane foam used in seat (± 2 Kg/Cub Meter)	45
	Seat upholstered with	Leather
	GSM of seat cover (± 3 GSM)	390 GSM
BACKREST FABRICATION	Backrest material	Moulded Plywood
	Density of Polyurethane foam used in Backrest (± 2 Kg/Cub Meter)	45
	Backrest upholstered with	Leather
DIMENSION	Seat Depth (± 5 mm)	480 mm
	Seat Width (± 5 mm)	460 mm
	Seat height from floor surface (± 5 mm)	455 mm
	Backrest width (± 5 mm)	450 mm
	Backrest height from seat (± 5 mm)	480 mm
COLOUR AND FINISH	Paint Type	N.A
	Polish Type	N.A
	Colour of Paint	N.A
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No
	Test reports to be furnished to buyer on demand	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026,Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO-Uppalwadi	10	45

Cafeteria Table (10 pieces) (Under PAC)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Make	godrejinterio
Model	godrejinteriofliptable1200pufinish

Technical Specifications/तकनीकी विशिष्टियाँ[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Shape of the Cafeteria Table	Rectangular
	Seating Capacity of the Cafeteria Table	4
Material	Material of Table Top	Medium Density Fibre Board
	Material of Understructure	Prelaminated Particle Board, Medium Density Fibre Board, High Density Fibre Board, Marine Ply, Block Board, Rubber Wood, Teak Wood, Particle Board, SS 202, SS 304, SS 316L, MS Painted, MS Powder Coated, MS Chrome Plated, Other
Surface Finish	Surface Finish	Polyurethane Paint
Dimensions	Length of Table Top / Diameter of Table Top if the Shape is Circular with a tolerance of ± 10 mm	1200.0 (millimeter)
	Width of Table Top with a tolerance of ± 10 mm	600.0 (millimeter)
	Height of Table with a tolerance of ± 10 mm	750.0 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of the Table Top with a tolerance of ± 1 mm	25.0 (millimeter)
Warranty	Warranty Period	1, 2, 3 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026,Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO-Uppalwadi	10	45

Cafeteria Chair (25 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriounwindssunderstructurechair

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Shape of the Cafeteria Chair Seat	Square
	Chair Armrest	Without Armrest
Material	Material of Chair Seat	Moulded Plastic
	Seat with Cushion	No
	Thickness of Cushion for Seat	0.0 - 150.0 Or higher (millimeter)
	Density of Seat Cushion Kg/m ³	0.0 - 50.0 Or higher
	Upholstery Material of Seat	Not Applicable

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of Chair Back	Moulded Plastic
	Back with Cushion	No
	Thickness of Cushion for Back	0.0 - 150.0 Or higher (millimeter)
	Density of Back Cushion Kg/m ³	0.0 - 50.0 Or higher
	Upholstery Material of Back	Not Applicable
	Material of the Chair Under structure	MS Powder Coated
Dimensions	Height of Chair Seat from ground with a tolerance of ± 10 mm	450.0 - 600.0 Or higher (millimeter)
	Overall Height of Chair from ground with a tolerance of ± 10 mm	845.0 - 1100.0 Or higher (millimeter)
Warranty	Warranty Period	1, 2, 3 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026, Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO- Uppalwadi	25	45

Cafeteria Table (8 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriocafepodmdfputop

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Shape of the Cafeteria Table	Curved Edges
	Seating Capacity of the Cafeteria Table	2
Material	Material of Table Top	Medium Density Fibre Board
	Material of Understructure	Prelaminated Particle Board, Medium Density Fibre Board, High Density Fibre Board, Marine Ply, Block Board, Rubber Wood, Teak Wood, Particle Board, SS 202, SS 304, SS 316L, MS Painted, MS Powder Coated, MS Chrome Plated, Other
Surface Finish	Surface Finish	Polyurethane Paint
Dimensions	Length of Table Top / Diameter of Table Top if the Shape is Circular with a tolerance of ± 10 mm	750.0 (millimeter)
	Width of Table Top with a tolerance of ± 10 mm	750.0 (millimeter)
	Height of Table with a tolerance of ± 10 mm	750.0 (millimeter)
	Thickness of the Table Top with a tolerance of ± 1 mm	25.0 (millimeter)
Warranty	Warranty Period	1, 2, 3 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026, Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO- Uppalwadi	8	45

Sofas (V2) (4 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
------	---------------

Model	godrejinteriopisa-3seatersofa
-------	-------------------------------

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	28
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (± 1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	26
	Type of Spring in the Base / Seating	Zig Zag spring
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	N.A
	Length of Two Seater Units in mm (± 10 mm)	N.A
	Length of Three Seater Units in mm (± 10 mm)	2050
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	900

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Sofa Height (Without Back Cushion) ±5 (mm)	700.0 (millimeter)
	Sofa Height (With Back Cushion) ±5 mm	850.0 (millimeter)
	Seat Cushion Length ±5 (mm)	1700
	Seat Cushion Width ±5 (mm)	530
	Seat Cushion Thickness ±3 (mm)	125
	Backrest Cushion Length ±5 (mm)	1150
	Backrest Cushion Width ±5 (mm)	400
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026, Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO- Uppalwadi	4	45

Sofas (V2) (17 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriopisa-2seatersofa

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	2
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	1
	Number of Three Seater Units (Nos)	No Three Seater Unit
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	28
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (± 1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	26
	Type of Spring in the Base / Seating	Zig Zag spring
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	N.A
	Length of Two Seater Units in mm (± 10 mm)	1455
	Length of Three Seater Units in mm (± 10 mm)	N.A
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	900
	Sofa Height (Without Back Cushion) ± 5 (mm)	700.0 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	850.0 (millimeter)
	Seat Cushion Length ± 5 (mm)	1200

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Width ±5 (mm)	530
	Seat Cushion Thickness ±3 (mm)	125
	Backrest Cushion Length ±5 (mm)	1150
	Backrest Cushion Width ±5 (mm)	400
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026, Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO-Uppalwadi	17	45

Sofas (V2) (6 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriopisa-1seatersofa

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	1
	Number of Single Seater Units (Nos)	1

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	No Three Seater Unit
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	28
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (± 1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	26
	Type of Spring in the Base / Seating	Zig Zag spring
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	800
	Length of Two Seater Units in mm (± 10 mm)	N.A
	Length of Three Seater Units in mm (± 10 mm)	N.A
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	900
	Sofa Height (Without Back Cushion) ± 5 (mm)	700.0 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	850.0 (millimeter)
	Seat Cushion Length ± 5 (mm)	640
	Seat Cushion Width ± 5 (mm)	530
	Seat Cushion Thickness ± 3 (mm)	125

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest Cushion Length ±5 (mm)	1150
	Backrest Cushion Width ±5 (mm)	400
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026,Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO-Uppalwadi	6	45

Almirah Steel (V2) (16 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriovdsdu10metaltop(863.5*1200*

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Number of door	2
	Number of drawers required	No Drawer
	Number of shelves	2
	Colour of finish	White

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	N.A
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	865 mm
	Almirah width ± 5 mm	920 mm
	Almirah depth ± 5 mm	430 mm
	Side sheet thickness	0.8 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.8 mm
	Bottom sheet thickness	0.8 mm
	Shelves sheet thickness	0.8 mm
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.25 mm(double folded)
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	0.6 mm
	Number of glass sheet fixed	N.A
Handle size	12 cm	
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	MAZAK Zinc plated
FINISH	Finish coat with enamels	N.A
	Powder coating	Conforming to IS: 13871

Consignees/Reporting Officer/प्रेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hara Prasad Pal	440026,Powergrid Corporation of India Limited Sampriti Nagar, Nari Ring Road, PO-Uppalwadi	16	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---