



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5402500
Dated/दिनांक : 19-09-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	30-09-2024 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	30-09-2024 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Power Grid Corporation Of India Limited
Organisation Name/संगठन का नाम	Power Grid Corporation Of India Limited
Office Name/कार्यालय का नाम	Corporate Office Gurgaon
Total Quantity/कुल मात्रा	53
Item Category/मद केटेगरी	Office Chair (V3) (Q2) (PAC Only) , Revolving Chair (V4) (Q2) (PAC Only)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Office Chair (V3)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

Bid Details/बिड विवरण

Estimated Bid Value/अनुमानित बिड मूल्य	593292
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	17

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

POWERGRID
POWER GRID Corporation OF INDIA Limited, POWER GRID
(Powergrid)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

Details of the Competent Authority approval for PAC

Competent Authority Approval document for PAC : [View Document](#)

Name of Competent Authority	CGM AM
Designation of Competent Authority	CGM AM
Office / Department / Division of Competent Authority	RHQ NAGPUR
CA Approval Number	856993

Competent Authority Approval Date	2024-08-09 00:00:00
Brief Description of the Approval Granted by Competent Authority	as per Rate Contract with Godrej vide letter ref. no. C/MM/GODREJ ITEMS RC/2023/4675 Dtd. 26/12/2023

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Office Chair (V3) (10 pieces) (Under PAC)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Make	godrejinterio
Model	godrejinteriopremiervisitorwithoutarms

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	Chair understructure type	Cantilever
	Understructure material	ERW tube conforming to IS : 1161 latest
	The shape of tubular section of understructure	Round
	Section Size (Diameter/Sides) of understructure	25 mm
	Understructure wall thickness (mm)	2
	Castor	No
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>30<=40
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>400<=450
	Depth of seat (mm)	>400<=450
	Seat upholstery material	Polyester fabric
BACKREST	Backrest base frame material	Hot pressed plywood
	Backrest material	PU foam
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>30<=40
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Polyester fabric
ARMREST	Armrest type	Without Armrest
	Armrest movement	Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Nasirhusen Shaikh	403513,Power Grid Corporation of India Ltd, 400/220kV Substation, Near Chickalim, Village, Behind Binani Fiberglass Factory, P.O, Colvale, Bardez, Mapusa, Goa-403513	10	90

Revolving Chair (V4) (20 pieces) (Under PAC)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Make	godrejinterio
Model	godrejinterioelitemidbacklargerseatchair

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	Mid Back
UNDERSTRUCTURE	Tilt mechanism	Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Mild steel chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>400<=450
	Depth of seat (mm)	>500
	Seat upholstery material	Leatherette
BACKREST	Backrest type	Flexi back Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support
	Backrest base frame material	Injection moulded plastic
	Density of PU used in backrest (kg per cubic meter)	NA
	Thickness of PU used in backrest (mm)	NA
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type and arm movement	Adjustable (up and down)
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nasirhusen Shaikh	403513,Power Grid Corporation of India Ltd, 400/220kV Substation, Near Chickalim, Village, Behind Binani Fiberglass Factory, P.O, Colvale, Bardez, Mapusa, Goa-403513	20	90

Office Chair (V3) (8 pieces) (Under PAC)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Make	godrejinterio
Model	godrejinteriopremiervisitorwitharmschair

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	Chair understructure type	Cantilever
	Understructure material	ERW tube conforming to IS : 1161 latest
	The shape of tubular section of understructure	Round
	Section Size (Diameter/Sides) of understructure	25 mm
	Understructure wall thickness (mm)	2
	Castor	No
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>30<=40
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>400<=450
	Depth of seat (mm)	>400<=450

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat upholstery material	Polyester fabric
BACKREST	Backrest base frame material	Hot pressed plywood
	Backrest material	PU foam
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>30<=40
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Polyester fabric
ARMREST	Armrest type	Moulded armrest continuously fitted with seat and back
	Armrest movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nasirhusen Shaikh	403513,Power Grid Corporation of India Ltd, 400/220kV Substation, Near Chickalim, Village, Behind Binani Fiberglass Factory, P.O, Colvale, Bardez, Mapusa, Goa-403513	8	90

Revolving Chair (V4) (6 pieces) (Under PAC)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Make	godrejinterio
Model	godrejinteriodiva-revolvinglowbackfixedarm

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	Low Back
UNDERSTRUCTURE	Tilt mechanism	Revolving with back tilting, Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Back tilt and locking, Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Glass filled nylon
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>400<=450
	Depth of seat (mm)	>400<=450
	Seat upholstery material	Polyester fabric
BACKREST	Backrest type	Flexi back, Tilting type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	>40<=50

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of PU used in backrest (mm)	>40<=50
	Width of backrest (mm)	<=400
	Backrest height from the seat level	>=350<=450
	Backrest upholstery material	Polyester fabric
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nasirhusen Shaikh	403513,Power Grid Corporation of India Ltd, 400/220kV Substation, Near Chickalim, Village, Behind Binani Fiberglass Factory, P.O, Colvale, Bardez, Mapusa, Goa-403513	6	90

Revolving Chair (V4) (7 pieces) (Under PAC)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Make	godrejinterio
Model	godrejinteriocrosschairwithheadrest

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back
UNDERSTRUCTURE	Tilt mechanism	Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Glass filled nylon
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>400<=450
	Depth of seat (mm)	>500
	Seat upholstery material	Polyester fabric
BACKREST	Backrest type	Flexi back Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support
	Backrest base frame material	Injection moulded plastic
	Density of PU used in backrest (kg per cubic meter)	NA
	Thickness of PU used in backrest (mm)	NA
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>550
	Backrest upholstery material	Mesh fabrics

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ARMREST	Armrest type and arm movement	Adjustable (up and down)
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Nasirhusen Shaikh	403513,Power Grid Corporation of India Ltd, 400/220kV Substation, Near Chickalim, Village, Behind Binani Fiberglass Factory, P.O, Colvale, Bardez, Mapusa, Goa-403513	7	90

Revolving Chair (V4) (2 pieces) (Under PAC)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Make	godrejinterio
Model	godrejinterioelitehighbackwithheadrestchair

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back
UNDERSTRUCTURE	Tilt mechanism	Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	4 Position locking, 5 Position locking, Multi position locking Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Mild steel chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>450<=500
	Depth of seat (mm)	>450<=500
	Seat upholstery material	Leatherette
BACKREST	Backrest type	Flexi back Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support
	Backrest base frame material	Injection moulded plastic
	Density of PU used in backrest (kg per cubic meter)	NA
	Thickness of PU used in backrest (mm)	NA
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type and arm movement	Adjustable (up and down)
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Nasirhusen Shaikh	403513,Power Grid Corporation of India Ltd, 400/220kV Substation, Near Chickalim, Village, Behind Binani Fiberglass Factory, P.O, Colvale, Bardez, Mapusa, Goa-403513	2	90

Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Special terms and conditions-Version:1 effective from 18-06-2024 for category Revolving Chair (V4)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the

contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

3. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer

is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---