

### Bid Document

Bid Details	
<b>Bid End Date/Time</b>	24-12-2022 19:00:00
<b>Bid Opening Date/Time</b>	24-12-2022 19:30:00
<b>Bid Offer Validity (From End Date)</b>	180 (Days)
<b>Ministry/State Name</b>	Ministry Of Power
<b>Department Name</b>	Power Grid Corporation Of India Limited
<b>Organisation Name</b>	Power Grid Corporation Of India Limited
<b>Office Name</b>	Corporate Office Gurgaon
<b>Total Quantity</b>	16
<b>Item Category</b>	Molded Case Circuit Breakers (Mccb)-IS/IEC:60947 (Q3) ( <b>PAC Only</b> )
<b>MSE Exemption for Years of Experience and Turnover</b>	No
<b>Startup Exemption for Years of Experience and Turnover</b>	No
<b>Document required from seller</b>	OEM Authorization Certificate, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Bid to RA enabled</b>	No
<b>Type of Bid</b>	Two Packet Bid
<b>Primary product category</b>	Molded Case Circuit Breakers (Mccb)-IS/IEC:60947
<b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
<b>Evaluation Method</b>	Total value wise evaluation

**EMD Detail**

Required	No
----------	----

**ePBG Detail**

Required	No
----------	----

**Splitting**

Bid splitting not applied.

### MSE Purchase Preference

MSE Purchase Preference	No
-------------------------	----

### Details of the Competent Authority for MSE

Name of Competent Authority	NA
Designation of Competent Authority	NA
Office / Department / Division of Competent Authority	Contracts
CA Approval Number	
Competent Authority Approval Date	24-11-2022
Brief Description of the Approval Granted by Competent Authority	This is to confirm that "PURCHASE PREFERENCE TO MSE's" is not applicable for the subject package; since the required quantity of each item is 02 Nos that also for two consignee locations.

Competent Authority Approval for not opting Micro and Small Enterprises Preference : [View Document](#)

### MII Purchase Preference

MII Purchase Preference	No
-------------------------	----

### Details of the Competent Authority approval for PAC

Competent Authority Approval document for PAC : [View Document](#)

Name of Competent Authority	Sr. GM of Jeypore & GM, Rourkela
Designation of Competent Authority	Sr. GM of Jeypore & GM, Rourkela
Office / Department / Division of Competent Authority	
CA Approval Number	
Competent Authority Approval Date	2022-11-19 00:00:00
Brief Description of the Approval Granted by Competent Authority	NECESSARY ADMINISTRATIVE & FINANCIAL APPROVAL ACCORDED FROM COMPETENT AUTHORITY FOR PROCUREMENT C&S ELECTRIC MAKE VARIOUS AC & DC MCCB'S, MOP'S AS SPARE THROUGH PAC BIDDING IN GEM PORTAL

### Molded Case Circuit Breakers (Mccb)-IS/IEC:60947 ( 2 pieces ) ( Under PAC )

Make	c&s
Model	c&smaketyencse1m125fmu4p

Brand Type	Registered Brand
------------	------------------

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	ISI marked	NO
	Rated Current (in Ampere)	32A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35 KA tripping range
	Breaking current (in KA)	25 KA
	Rated Voltage	240/415 Volt 50 Hz AC

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sukanta Kumar Parida	764002,Power Grid Corporation of India Ltd, 400KV220KV Substation,Vill: Kaliagaon, Via: Jeypore, Post: Kaliagaon, Dist: Koraput, Odisha-764002	1	28
2	DEOKARAN KUJUR	769010,Power Grid Corporation of India Ltd,400/220 KV POWERGRID Rourkela Substation, Nayabazar, Behind OSAP, Rourkela, Dist- Sundargarh, Odisha-769010	1	28

### Molded Case Circuit Breakers (Mccb)-IS/IEC:60947 ( 2 pieces ) ( Under PAC )

Make	c&s
Model	cse1m125atm4p

Brand Type	Registered Brand
------------	------------------

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	ISI marked	NO
	Rated Current (in Ampere)	100A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35 KA tripping range
	Breaking current (in KA)	25 KA
	Rated Voltage	415 volt 50 Hz

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sukanta Kumar Parida	764002,Power Grid Corporation of India Ltd, 400KV220KV Substation,Vill: Kaliagaon, Via: Jeypore, Post: Kaliagaon, Dist: Koraput, Odisha-764002	1	28
2	DEOKARAN KUJUR	769010,Power Grid Corporation of India Ltd,400/220 KV POWERGRID Rourkela Substation, Nayabazar, Behind OSAP, Rourkela, Dist- Sundargarh, Odisha-769010	1	28

#### Molded Case Circuit Breakers (Mccb)-IS/IEC:60947 ( 2 pieces ) ( Under PAC )

Make	c&s
Model	cse1s125atm4patm(adj.overload80-100&adj.shortcircuit5-10in)
Brand Type	Registered Brand

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	ISI marked	NO
	Rated Current (in Ampere)	125A
	No of poles/Protected poles(PP)	4 Pole

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Rated Short circuit capacity (in KA)</b>	MCCB with RSCB capacity of 10/16/25/35 KA tripping range
	<b>Breaking current (in KA)</b>	50 KA
	<b>Rated Voltage</b>	415 volt 50 Hz

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sukanta Kumar Parida	764002,Power Grid Corporation of India Ltd, 400KV220KV Substation,Vill: Kaliagaon, Via: Jeypore, Post: Kaliagaon, Dist: Koraput, Odisha-764002	1	28
2	DEOKARAN KUJUR	769010,Power Grid Corporation of India Ltd,400/220 KV POWERGRID Rourkela Substation, Nayabazar, Behind OSAP, Rourkela, Dist- Sundargarh, Odisha-769010	1	28

#### Molded Case Circuit Breakers (Mccb)-IS/IEC:60947 ( 2 pieces ) ( Under PAC )

Make	c&s
Model	cse2m250atm4p

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>ISI marked</b>	YES
	<b>Rated Current (in Ampere)</b>	200A
	<b>No of poles/Protected poles(PP)</b>	4 Pole
	<b>Rated Short circuit capacity (in KA)</b>	MCCB with RSCB capacity of 10/16/25/35 KA tripping range
	<b>Breaking current (in KA)</b>	25 KA
	<b>Rated Voltage</b>	415 volt 50 Hz

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sukanta Kumar Parida	764002,Power Grid Corporation of India Ltd, 400KV220KV Substation,Vill: Kaliagaon, Via: Jeypore, Post: Kaliagaon, Dist: Koraput, Odisha-764002	1	28
2	DEOKARAN KUJUR	769010,Power Grid Corporation of India Ltd,400/220 KV POWERGRID Rourkela Substation, Nayabazar, Behind OSAP, Rourkela, Dist- Sundargarh, Odisha-769010	1	28

**Molded Case Circuit Breakers (Mccb)-IS/IEC:60947 ( 2 pieces ) ( Under PAC )**

Make	c&s
Model	cse2m250atm4p
Brand Type	Registered Brand

**Technical Specifications**

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	ISI marked	YES
	Rated Current (in Ampere)	250A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35 KA tripping range
	Breaking current (in KA)	25 KA
	Rated Voltage	415 volt 50 Hz

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sukanta Kumar Parida	764002,Power Grid Corporation of India Ltd, 400KV220KV Substation,Vill: Kaliagaon, Via: Jeypore, Post: Kaliagaon, Dist: Koraput, Odisha-764002	1	28
2	DEOKARAN KUJUR	769010,Power Grid Corporation of India Ltd,400/220 KV POWERGRID Rourkela Substation, Nayabazar, Behind OSAP, Rourkela, Dist- Sundargarh, Odisha-769010	1	28

**Molded Case Circuit Breakers (Mccb)-IS/IEC:60947 ( 2 pieces ) ( Under PAC )**

Make	c&s
Model	cse3m400atm4p

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	ISI marked	NO
	Rated Current (in Ampere)	400A
	No of poles/Protected poles(PP)	4 Pole
	Rated Short circuit capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35 KA tripping range
	Breaking current (in KA)	25 KA
	Rated Voltage	415 volt 50 Hz

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sukanta Kumar Parida	764002,Power Grid Corporation of India Ltd, 400KV220KV Substation,Vill: Kaliagaon, Via: Jeypore, Post: Kaliagaon, Dist: Koraput, Odisha-764002	1	28
2	DEOKARAN KUJUR	769010,Power Grid Corporation of India Ltd,400/220 KV POWERGRID Rourkela Substation, Nayabazar, Behind OSAP, Rourkela, Dist- Sundargarh, Odisha-769010	1	28

### Molded Case Circuit Breakers (Mccb)-IS/IEC:60947 ( 2 pieces ) ( Under PAC )

Make	c&s
Model	cse2m250atm3p
Brand Type	Registered Brand

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	ISI marked	YES
	Rated Current (in Ampere)	160A
	No of poles/Protected poles(PP)	3 Pole
	Rated Short circuit capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35 KA tripping range
	Breaking current (in KA)	25 KA
	Rated Voltage	240/415 Volt 50 Hz AC

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------



S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sukanta Kumar Parida	764002,Power Grid Corporation of India Ltd, 400KV220KV Substation,Vill: Kaliagaon, Via: Jeypore, Post: Kaliagaon, Dist: Koraput, Odisha-764002	1	28
2	DEOKARAN KUJUR	769010,Power Grid Corporation of India Ltd,400/220 KV POWERGRID Rourkela Substation, Nayabazar, Behind OSAP, Rourkela, Dist- Sundargarh, Odisha-769010	1	28

### Molded Case Circuit Breakers (Mccb)-IS/IEC:60947 ( 2 pieces ) ( Under PAC )

Make	c&s
Model	cse2m250atm3p

Brand Type	Registered Brand
------------	------------------

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	ISI marked	NO
	Rated Current (in Ampere)	250A
	No of poles/Protected poles(PP)	3 Pole
	Rated Short circuit capacity (in KA)	MCCB with RSCB capacity of 10/16/25/35 KA tripping range
	Breaking current (in KA)	25 KA
	Rated Voltage	240/415 Volt 50 Hz AC

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sukanta Kumar Parida	764002,Power Grid Corporation of India Ltd, 400KV220KV Substation,Vill: Kaliagaon, Via: Jeypore, Post: Kaliagaon, Dist: Koraput, Odisha-764002	1	28
2	DEOKARAN KUJUR	769010,Power Grid Corporation of India Ltd,400/220 KV POWERGRID Rourkela Substation, Nayabazar, Behind OSAP, Rourkela, Dist- Sundargarh, Odisha-769010	1	28

## Buyer Added Bid Specific Terms and Conditions

### 1. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

### 2. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

### 3. Generic

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

### 4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses **Supply of C&S Electric make various AC & DC MCCB's, MOP's for STATCOM LT system as spare at POWERGRID, Jeypore & Rourkela Substation.**

### 5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the

bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**