

RTI MATTER

No. 10/11/2015-RTI/00562 & 00563
Government of India
Ministry of Power
(RTI Cell)

Shram Shakti Bhawan, Rafi Marg,
New Delhi -110001
Dated: 02/12/2015

To,

1. The Chief Engineer(C) & Nodal Officer (RTI),
CEA, 3rd Floor, Sewa Bhawan, R.K. Puram,
New Delhi -66
2. CPIO & Nodal Officer (RTI),
PGCIL, Plot No.2, Sector-29,
Near IFCO Chowk,
Gurgaon-122001.

Sub: Application of Shri Himanshu Sharma S/o Sardari Lal Sharma, H.No-2650, Sector-16, Faridabad, Haryana, under the RTI Act, 2005.


Sir,

The RTI application dated 28/10/2015 of Shri Himanshu Sharma, (**Reg. No. POWER/R/2015/00562 & 00563**), received on transfer from Haryana Vidyut Prasaran Nigam Limited vide their Memo No Ch-10/RTI-3341 dated 23/11/15, is being transferred under Section 6(3) of the RTI Act, 2005.

2. It is requested that the requisite information may be sent directly to the applicant as per the provisions of the RTI Act, 2005 under intimation to the Ministry.

Encl. As above.

Yours faithfully


Arjun Rana
(Section Officer)

Copy for necessary action to :-

1. CPIO & Under Secretaries (PG, Trans), Division M/o Power. RTI application has already been forwarded online. It is requested to furnish the requisite information directly to the applicant.

Copy for information to:


1. CPIO & US (RTI), Haryana Vidhyut Prasaran Nigam Limited, Sector-6, Panchkula.
2. Shri Himanshu Sharma S/o Sardari Lal Sharma, H.No-2650, Sector-16, Faridabad, Haryana. You are further requested to pursue the matter with addressee of this letter in case non-receipt of reply.



HARYANA VIDYUT PRASARAN NIGAM LIMITED

Regd. Office; Shakti Bhawan,
Sector-6, Panchkula.

☎: 0172-2561931 to 2561939 (Extn.- 1325)
e-mail: spioha@hvpn.gov.in



4341

From

State Public Information Officer
-cum-Assistant Engineer,
HVPNL, Panchkula

**RTI Matter
Time Bound
Top Priority**

Power/R/2015/00562
& 00563
01/12/15

To

Regd.	1	Nodal Officer/RTI, MINISTRY OF POWER Shram Shakti Bhawan, Room No.223-A, 2nd Floor, New Delhi - 110001	Phone No.011-23717753,
Regd.	2	Public Information Officer O/o Ministry of Environment, Forest and Climate Change Indira Paryavaran Bhavan, Jorbagh Road New Delhi - 110 003, INDIA	
Regd.	3	Nodal Officer/RTI, Chief Engineer/Coordination, Central Electricity Authority, Govt. of India, Admn. Coordination Section, Sewa Bhawan, R.K. Puram, New Delhi-110066.	
	4	The Public Information Officer -cum-Superintending Engineer/TS, HVPNL, 509-510, Power Colony, Indl. Area Ph-2, Panchkula - 134113.	Mail to: setspkt@hvpn.gov.in Tel No. 0172-2563455 Fax No. 0172-2563455
REGD.	5	The Public Information Officer -cum- Superintending Engineer/TS, HVPNL, Karnal-132 001.	Mail to: setsknl@hvpn.gov.in Tel. No. 0184-2225800 Fax. No. 0184-2268833
REGD.	6	The Public Information Officer -cum- Superintending Engineer/TS, HVPNL, Rohtak.	Mail to: setsrtk@hvpn.gov.in Tel No. 01262-271310 Fax. No. 01262-255186
REGD.	7	The Public Information Officer -cum- Superintending Engineer/TS, HVPNL, Vidyut Nagar, Hisar - 125 005	Mail to: setsshr@hvpn.gov.in Tel. No. 01662-223084 Fax. No. 01662-223395
REGD.	8	The Public Information Officer -cum- Superintending Engineer/TS, HVPNL, 66 KV Sub-Stn. Mehrauli Road, Gurgaon- 122 001	Mail to: setsqgn@hvpn.gov.in Tel. No. 0124 -2320318 Fax. No. 0124 -2220639
REGD.	9	The Public Information Officer -cum- Superintending Engineer/TS, HVPNL, 66 KV Sub-Stn. A-4, Sector-18, Faridabad.	Mail to: setsfbd@hvpn.gov.in Tel. No. 0129-2222132 Fax. No. 0129-2225132
	10	The Executive Engineer/Works.-Cum-Public Information Officer, O/o Chief Engineer/TS, HVPNL, Power Colony, Indl. Area Ph-2, Panchkula - 134 113.	Mail to: cetspkt@hvpn.gov.in Tel No. 0172-2591512 Fax No. 0172-2591244
REGD.	11	The Executive Engineer/Works.-Cum-Public Information Officer, O/o Chief Engineer/TS, HVPNL, Vidyut Nagar, Hisar - 125 005	Mail to: cetsshr@hvpn.gov.in Tel. No. 01662-223038 Fax No. 01662-223380

Memo No. Ch-10/RTI-3341

Dated: 23.11.2015

Subject: Sh. Himansu Sharma, application dated 28.10.2015 (recd. 02.11.2015) - information sought under the RTI Act, 2005.

The subject cited applicant has requested for supply of information vide his subject cited application (copy enclosed). The matter was taken up with Material Management wing of HVPNL. Accordingly, Dy. Supdt./Estt./MM, HVPNL, Panchkula vide his office memo No. 629/DHE-168/Vol.-III dated 23.11.2015 (copy enclosed) informed that subject cited application also relates to your offices/ offices under your jurisdiction.

Accordingly, the subject cited application of the applicant alongwith Dy. Supdt./Estt./MM, HVPNL, Panchkula vide his office memo No. 629/DHE-168/Vol.-III dated 23.11.2015, are hereby transferred your offices under section 6(3) of RTI Act for supplying the information directly to the applicant under intimation to this office. A copy of the application as received from the applicant is enclosed herewith.

The applicant has deposited Rs. 100/- in this office in shape of IPO. It is pertinent to mention here that Rs. 50/- as application fee, has been prescribed in HVPNL.

In case whole or part of information does not relate to your public authority/authorities/office or not falls under your jurisdiction, the subject cited RTI application may be please be transferred to the concerned public authority/authorities/office immediately at your end as per provisions of RTI Act, 2005 under intimation to this office to avoid delays.

DA: As above
(Ch-1: 1 page)
(Ch-8: 2 pages)

(Signature)
23/11/15
State Public Information Officer
-cum-Assistant Engineer/RTI,
HVPNL, Panchkula.

CC:

REGD. Sh. Himansu Sharma s/o Sh. Sardari Lal Sharma, R/o House No. 2650,
Sector-16, Faridabad, Haryana.
It is requested to take up the matter with the above said Public Information Officer
in future.

DA:

As above
(Ch-8: 2 pages)

E135780/2015/Admn
30/11/15

U3 (Ph)
U3 (Team)
C.A.
M.L.L.

सेवा नं.

श्रीमान जन सूचना अधिकारी एवं
AELRII...HVPNL...SHAKTI BHAWAN
SEL-6, PANCHKULA...HARYANA

विषय जन सूचना अधिकार अधिनियम 2005 के तहत सूचना लेने बारे प्रार्थना पत्र।
श्रीमान जी,

उपरोक्त अधिनियम के तहत नई 220 के0 वी0 हाईटेशन लाईन से सम्बन्धित निम्नलिखित सूचनायें उपलब्ध कराने की कृपा करें :-

1. क्या नई 220 के0 वी0 लाईन लगाने के लिये सरकार, इण्डियन इलेक्ट्रिसिटी अथॉरिटी, पर्यावरण, वन एवं जलवायु मंत्रालय भारत सरकार, इण्डियन इलेक्ट्रिसिटी एक्ट के तहत कोई गाईडलाइन्स/इन्सट्रक्शन्स/ दिशा-निर्देश जारी रखे हैं? यदि हाँ तो सत्यापित प्रति उपलब्ध करवाई जाये।
2. नई 220 के0 वी0 लाईन के लिये जारी दिशा-निर्देशों एवं नियमों के अनुसार इस लाईन का राईट ऑफ वे कितने मीटर चौड़ा होना चाहिये व लाईन के सैन्टर प्वाइंट से एक तरफ कितना होना चाहिये?
3. नई 220 के0 वी0 लाईन को लगाने समय पहले से बने सरकारी स्कूल, प्राइवेट स्कूल, घरों/मकानों, मंदिर से कितनी दूर लगाये जाने का प्रावधान है?
4. नई 220 के0 वी0 लाईन गांव के लाल जोरा में बने मकानों से कितनी दूरी पर होनी चाहिये?
5. नई 220 के0 वी0 लाईन को लगाने समय सड़क से कितना दूर रखा जायेगा? लिखित रूप में देते।
6. क्या इस लाईन का रिहावशी क्षेत्र में लगाया जा सकता है?
7. नई 220 के0 वी0 लाईन को लगाने से पहले किस-किस विभाग से मजूरी व अनापत्ति प्रमाण पत्र लेना अनिवार्य है?

उपरोक्त सूचनायें शीघ्र अति शीघ्र उपलब्ध कराने की कृपा करें।


आपकी अति कृपा होगी।

नोट : कृपया उपरोक्त सूचनायें हिन्दी में दी जायें
और उपरोक्त सूचना में हुई देरी प्रार्थी की स्वतंत्रता
को प्रभावित कर सकती है, इसलिये सूचना जल्द
उपलब्ध करवाई जाये।

दिनांक : 28.10.2015


प्रार्थी,

हिमांशु शर्मा पुत्र श्री सरदारी लाल शर्मा
निवासी मकान नं0-2650, सेक्टर-16,
करंजबाद। गौ0-9310877775


2/11/15
Asstt

8

HARYANA VIDYUT PRASARAN NIGAM LTD.

Regd. Office: Shakti Bhawan, Sector-6, Panchkula.

From

The Chief Engineer/MM,
HVPNL, Panchkula.

To

The SPIO-cum-AE/RTI,
HVPNL, Panchkula.

Memo No. 629 / DHE-168/Vol.-III

Dated: 23.11.2015


Subject:- Sh. Himanshu Sharma application dated 28.10.2015 (received on 02.11.2015) – information sought under the RTI Act-2005.


Please refer to your office Memo No. Ch-02/RTI-3341 dated 02.11.2015 and Ch-06/RTI-3341 dated 13.11.2015 on the subject noted above.

The information on the application of Sh. Himanshu Sharma as received from the O/o XEN/Trans. Design, HVPNL, Panchkula vide his office U.O. No. 35 dated 06.11.2015 is enclosed herewith (one page) duly attested in duplicate for further necessary action in your office.

This issues with the approval of CE/MM, HVPNL, PKL.

DA/01 Page.


Dy. Superintendent/Estt./MM,
for CE/MM, HVPNL, Panchkula.


23/11/15

Asstt

Please put up
JDC 2015
2



HVPNL

YANA VIDYUT PRASARAN NIGAM LIMITED.

Head Office: Shakti Bhawan, Sector-6, Panchkula

Corporate Identity Number: U40101HR1997SGC033683

Telephone No. 0172-2583745

E-mail: info@hvpnl.com

Fax No. 0172-2583724

OFFICE OF Chief Engineer/MM, HVPNL, PANCHKULA
(Design Directorate)

Subject:- Sh. Himanshu sharma, RTI application dated 28.10.2015 (Recd. on 02.11.2015)-information sought under the RTI Act, 2005.

Will Supdt./Esstt., MM, HVPNL, Panchkula please refer to his office memo No. 59/21-11-168-Vol-III dated 5.11.2015 on the above subject.

Point-wise reply is as under:

Point No.	Reply
1.	This office has not issued any guidelines/ instructions in this regard. Deputy Secretary/Projects or Deputy Secretary/ Operation may be requested to supply the requisite information, if issued by them. The information may also be sought from Ministry of Power, Ministry of Environment & Forest, Central Electricity Authority, New Delhi.
2 & 3.	This office has not issued any guidelines/ instructions in this regard. Indian Electricity Rules 1956/ Central Board of Irrigation & Power, New Delhi Manuals may be referred.
4.	The information is not available in this office. TS wing may be requested to supply the information, if available with them. The information may also be available with revenue department.
5.	The information is not available in this office. Information may be sought from PWD authorities, state highway authorities or PWD authorities.
6.	The information sought does not relate to this office. TS wing may requested to supply the information, if available with them.
7.	The information sought does not relate to this office. TS wing may requested to supply the information, if available with them.

This is for your information and further necessary action.

Executive Engineer (Trans. Design)
HVPNL, Panchkula

To

✓ Superintendent (Estt.) MM
HVPNL, Panchkula.

Sl. No. 3357-1094/RTI

Dated: 06.11.2015

Supdt./Esstt. MM,
HVPNL, Panchkula.