

RTI REQUEST DETAILS

Registration No. : PGCIL/R/E/20/00196	Date of Receipt : 23/05/2020
Type of Receipt : Online Receipt	Language of Request : English
Name : NallasamyRS	Gender : Male
Address : 1/31-D, mariamman Kovil Street,, K.Rayarpalayam, Karumathampatti(po),, Coimbatore,, Pin:641659	
State : Tamilnadu	Country : India
Phone No. : +91-9842290773	Mobile No. : +91-9443036232
Email : nallasamys1968@gmail.com	
Status(Rural/Urban) : Rural	Education Status :
Is Requester Below Poverty Line ? : No	Citizenship Status : Indian
Amount Paid : 10)	Mode of Payment : Payment Gateway
Does it concern the life or Liberty of a Person ? :	Request Pertains to :

Respected Sir/madam,

I am requesting you to furnish the following information under the Right to Information Act, 2005:-

- Information Sought :**
1. While NHAI Approving Permission to PGCIL, For 400 kV HV Overhead Power Transmission lines Crossing Highways, Whats is Distance required from Nearest Tower to Edge of the Road(Highways).
 2. There is no clear distance mentioned in CEA Rules (Measures relating to safety and Electric supply 2010) & (Safety requirements for Construction, Operation and Maintenance of Electrical Plants and Electric Lines.) In regulation 89(2a) mentioned that, Crossing of a transmission line with Roads or a Railways or a Powerline or a Telecommunication line shall be Finalized as per applicable rules & regulations specified by the Concerned Authorities.
So Please mention the particular distance required by NHAI, from Nearest Tower to Edge of the Road(Highways), While Approving Highways Line Crossing.
 3. We Hear a Information that, NHAI is demanding PGCIL, While EHV Transmission line Crossing Highways, The Distance from Nearest Tower to Edge of the Road is (Tower height added with 6 meters). to have sufficient Tower Falling Distance.
Is it true.....,

I request you to kindly provide the above Information sought in English Language, as I hail from the State of Tamil Nadu. And I also request you to kindly provide me with the certified copy of the above details.

Herewith I am pay Rs. 10/- as RTI Fee. I am also willing to pay the additional Cost of Copies of the Details.

With Regards,
R.S.Nallasamy,
1/31-D, mariamman Kovil Street,
K.Rayarpalayam,
Karumathampatti (po),
Coimbatore - 641659,
Tamil Nadu,
Cell: - 9842290773,
Email ID: - nallasamys1968@gmail.com.

Date: - 23.05.2020

[Print](#)[Save](#)[Close](#)