



SPEED POST

Ref No: NESH/ PESM/ RTI/ 1117/ 05

Date: 09.04.2024

To,

Anup Das
Village- Joyrambati, PO- Joyrambati,
Dist- Bankura, West Bengal-722161
+91-9775393851
anup.das77@gmail.com

विषय : आपके आरटीआई आवेदन दिनांक 03.04.2024 जो की दिनांक 03.04.2024 को प्राप्त हुआ, उस का उत्तर ।

Sub : Reply to your RTI Application dated 03.04.2024 received on 03.04.2024.

Sir,

- 1.0 This has reference to your RTI application dated 03.04.2024 under RTI Act, 2005 received on 03.04.2024.
- 2.0 As per inputs received from concerned department/site, the information pertaining to your RTI Application is given below:

| Sl. No. | Query | Information |
|---------|---|---|
| 1. | Advt. No. NERTS/2023/01. My Registration No.: NER/RECTT/PwBD/ 800179. Roll No.: 701000009 | |
| (a) | So kindly rectify this answer key and Correct Answer key Provide to me please. | The information sought is enclosed as Annexure-I . |
| (b) | Cut off Percentage of marks and Rank List of the result Provide to me Please. | The cut-off percentage (%) of marks and cut-off rank of CBT for empanelment is 37.35% and PwBD LD-OL 3. |
| (c) | Selected Candidate Name and his Cut off Percentage Provide to me Please. | The name of selected candidate is exempted from disclosure under section 8(1)(j) of RTI Act, 2005. However, the cut-off percentage (%) up-to which offer is issued for Electrical discipline is 50.44 %. |
| (d) | My cut off Percentage and Rank Provide to me Please. | Your cut-off percentage (%) is 37.35% and rank is PwBD LD-OL 3. |

उत्तर पूर्वी क्षेत्र पारेषण प्रणाली, डोंगतीय, लोवर नोंग्राह, लापालांग, शिलांग - 793006 (मेघालय); दूरभाष: 0364-2536371, फ़ैक्स: 0364-2536607

RHQ: North Eastern Region Transmission System; Dongtieh, Lower Nongrah, Lapalang, Shillong - 793006 (Meghalaya) Tel: 0364-2536371, Fax: 0364-2536607

केन्द्रीय कार्यालय: "सौदामिनी", प्लॉट संख्या २, सेक्टर २९, इफ्फको चौक के नजदीक, गुडगाँव (हरियाणा) - 122001, भारत
Corporate office: "Saudamini", Plot No. 2, Sector 29, Near IFFCO Chowk, Gurgaon (Haryana) - 122001, INDIA

Website: <https://www.powergrid.in>



पावरग्रिड
POWERGRID

पावर ग्रिड कॉरपोरेशन ऑफ इंडिया लिमिटेड

(भारत सरकार का उद्यम)

POWER GRID CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

3.0 First Appeal, if any, against the reply of CPIO may be made to the first Appellate Authority within 30 days of the receipt of the reply of CPIO. Details of Appellate Authority of Power Grid Corporation of India Limited, NERTS, under RTI Act, 2005 is as below:

Sh. Upananda Kataki, ED (NERTS)
POWERGRID, Dongtiah, Lower Nongrah,
Lapalang, Shillong - 793006, Meghalaya.
0364-2536371, u.kataki@powergrid.in

आपको धन्यवाद,

भवदीय,

(A L SYNGKON)

GM & CPIO

0364-2536439,

nerts_rti@powergrid.in

उत्तर पूर्वी क्षेत्र परिषण प्रणाली, डोंगतीय, लोवर नोंग्राह, लापालांग, शिलांग - 793006 (मेघालय); दूरभाष: 0364-2536371, फ़ैक्स: 0364-2536607

RHQ: North Eastern Region Transmission System; Dongtiah, Lower Nongrah, Lapalang, Shillong - 793006 (Meghalaya) Tel: 0364-2536371, Fax: 0364-2536607

केन्द्रीय कार्यालय: "सौदामिनी", प्लॉट संख्या २, सेक्टर २९, इफ्फको चौक के नजदीक, गुडगाँव (हरियाणा) - 122001, भारत

Corporate office: "Saudamini", Plot No. 2, Sector 29, Near IFFCO Chowk, Gurgaon (Haryana) - 122001, INDIA

Website: <https://www.powergrid.in>

ANNEXURE-I

CANDIDATE NAME: ANUP DAS, NER/RECTT/PwBD/800179

Part A- Technical Knowledge Test

| Question No. | Response Option (by candidate) | Correct Answer Option | Question No. | Response Option (by candidate) | Correct answer Option |
|--------------|--------------------------------|-----------------------|--------------|--------------------------------|-----------------------|
| 1 | 2 | 2 | 61 | 3 | 3 |
| 2 | 2 | 2 | 62 | 1 | 2 |
| 3 | 1 | 1 | 63 | 2 | 2 |
| 4 | 1 | 1 | 64 | 2 | 1 |
| 5 | 4 | 4 | 65 | 3 | 2 |
| 6 | 1 | 1 | 66 | 1 | 2 |
| 7 | 1 | 2 | 67 | 2 | 3 |
| 8 | 3 | 3 | 68 | 1 | 2 |
| 9 | 4 | 4 | 69 | 4 | 2 |
| 10 | 4 | 4 | 70 | 2 | 3 |
| 11 | 1 | 2 | 71 | 1 | 1 |
| 12 | 1 | 1 | 72 | 2 | 1 |
| 13 | 2 | 1 | 73 | 1 | 2 |
| 14 | 1 | 2 | 74 | 4 | 3 |
| 15 | 2 | 1 | 75 | 3 | 2 |
| 16 | 3 | 1 | 76 | 1 | 1 |
| 17 | 2 | 4 | 77 | 2 | 2 |
| 18 | 2 | 4 | 78 | 1 | 3 |
| 19 | 4 | 4 | 79 | 4 | 4 |
| 20 | 1 | 2 | 80 | 4 | 4 |
| 21 | 4 | 4 | 81 | 1 | 2 |
| 22 | 3 | 2 | 82 | 3 | 2 |
| 23 | 4 | 3 | 83 | 2 | 4 |
| 24 | 3 | 3 | 84 | 1 | 1 |
| 25 | 4 | 1 | 85 | 2 | 1 |
| 26 | 4 | 2 | 86 | 2 | 2 |
| 27 | 3 | 2 | 87 | 4 | 4 |
| 28 | 3 | 3 | 88 | 3 | 2 |
| 29 | 2 | 2 | 89 | 2 | 2 |
| 30 | 3 | 1 | 90 | 3 | 3 |
| 31 | 4 | 3 | 91 | 1 | 1 |
| 32 | 3 | 2 | 92 | 3 | 1 |
| 33 | 2 | 1 | 93 | Not attempted | 2 |
| 34 | Not attempted | 4 | 94 | 3 | 1 |
| 35 | 3 | 3 | 95 | 3 | 1 |
| 36 | 3 | 3 | 96 | 2 | 2 |
| 37 | 2 | 2 | 97 | 2 | 1 |
| 38 | 4 | 4 | 98 | 2 | 2 |
| 39 | 1 | 3 | 99 | 3 | 1 |
| 40 | 4 | 2 | 100 | 4 | 4 |
| 41 | 3 | 3 | 101 | 4 | 4 |
| 42 | 2 | 2 | 102 | 1 | 1 |
| 43 | 1 | 1 | 103 | 4 | 2 |
| 44 | 1 | 1 | 104 | 3 | 3 |
| 45 | 1 | 2 | 105 | 1 | 2 |
| 46 | 2 | 3 | 106 | 2 | 2 |
| 47 | 1 | 1 | 107 | 3 | 3 |
| 48 | 1 | 4 | 108 | 3 | 1 |
| 49 | 1 | 1 | 109 | 4 | 4 |
| 50 | 4 | 3 | 110 | 3 | 3 |
| 51 | 2 | 3 | 111 | 4 | 4 |
| 52 | 2 | 2 | 112 | 2 | 2 |
| 53 | 2 | 2 | 113 | 1 | 1 |
| 54 | 4 | 4 | 114 | 2 | 2 |
| 55 | 1 | 1 | 115 | 4 | 4 |
| 56 | 3 | 3 | 116 | 1 | 1 |
| 57 | 1 | 1 | 117 | 3 | 2 |
| 58 | 3 | 3 | 118 | 4 | 4 |
| 59 | 3 | 2 | 119 | 4 | 4 |
| 60 | 1 | 3 | 120 | 1 | 3 |

Part B- Aptitude Test

| Question No. | Response Option (by candidate) | Correct Answer Option |
|--------------|--------------------------------|-----------------------|
| 1 | 3 | 2 |
| 2 | 2 | 2 |
| 3 | 1 | 1 |
| 4 | 4 | 4 |
| 5 | 2 | 3 |
| 6 | 2 | 3 |
| 7 | 4 | 1 |
| 8 | 1 | 3 |
| 9 | 4 | 3 |
| 10 | 2 | 2 |
| 11 | 4 | 2 |
| 12 | 4 | 4 |
| 13 | 4 | 4 |
| 14 | 3 | 1 |
| 15 | 4 | 1 |
| 16 | Not attempted | 4 |
| 17 | Not attempted | 3 |
| 18 | 4 | 3 |
| 19 | 2 | 2 |
| 20 | 4 | 3 |
| 21 | 2 | 2 |
| 22 | 1 | 1 |
| 23 | 3 | 3 |
| 24 | 3 | 3 |
| 25 | 1 | 3 |
| 26 | 3 | 1 |
| 27 | 1 | 2 |
| 28 | 2 | 2 |
| 29 | 1 | 3 |
| 30 | 3 | 3 |
| 31 | 3 | 3 |
| 32 | 2 | 1 |
| 33 | 2 | 2 |
| 34 | 4 | 2 |
| 35 | 4 | 4 |
| 36 | 1 | 4 |
| 37 | 4 | 4 |
| 38 | 4 | 3 |
| 39 | 2 | 4 |
| 40 | 3 | 2 |
| 41 | 3 | 3 |
| 42 | 4 | 4 |
| 43 | 4 | 1 |
| 44 | 4 | 4 |
| 45 | 1 | 2 |
| 46 | 2 | 4 |
| 47 | 2 | 2 |
| 48 | 4 | 3 |
| 49 | 2 | 3 |
| 50 | 2 | 4 |

