

<b>RTI REQUEST DETAILS</b>		
<b>Registration No. :</b>	PGCIL/R/E/22/00152	<b>Date of Receipt :</b> 21/04/2022
<b>Type of Receipt :</b>	Online Receipt	<b>Language of Request :</b> English
<b>Name :</b>	Rishiraj Sharma	<b>Gender :</b> Male
<b>Address :</b>	Village Jasratpur, Post Office Sakoti Tanda, Tehseel Sardhana, Meerut, Pin:250223	
<b>State :</b>	Uttar Pradesh	<b>Country :</b> India
<b>Phone No. :</b>	Details not provided	<b>Mobile No. :</b> +91-9927235470
<b>Email :</b>	rishirajpradhan8@gmail.com	
<b>Status(Rural/Urban) :</b>	Details not provided	<b>Education Status :</b> Details not provided
<b>Is Requester Below Poverty Line ? :</b>	No	<b>Citizenship Status</b> Indian
<b>Amount Paid :</b>	10 )	<b>Mode of Payment</b> Payment Gateway
<b>Does it concern the life or Liberty of a Person ? :</b>	No(Normal)	<b>Request Pertains to :</b>
<b>Information Sought :</b>	<p>Please provide information with respect to the 132 KV D/C Jarauda Nara - Sakauti Transmission Line (DFCCIL), which is proposed near Village Sakauti, Tehseel Sardhana, District Meerut - Uttar Pradesh :</p> <ol style="list-style-type: none"> <li>1. Please provide the degree angle at which tower number AP31/0 and tower number AP32/0 of the above proposed transmission line shall cross the National Highway.</li> <li>2. Please provide the distance (in metres) between tower number AP31/0 and tower number AP32/0.</li> <li>3. Please provide the distance (in metres) of tower number AP31/0 from the centre of the National Highway Road.</li> <li>4. Please provide the distance (in metres) of tower number AP32/0 from the centre of the National Highway Road.</li> </ol>	
<input type="button" value="Print"/> <input type="button" value="Save"/> <input type="button" value="Close"/>		