

To,
Shri. Krishna Kumar T. R. (Executive Director), Appellate Officer,
Power Grid Corporation of India Limited
Regional Headquarters, West Zone-2
Plot No. – 54, Near Riya-Revati Resort, Sama-Savali Road,
Vadodara-390008 (Gujarat)

Date: June 01, 2024

Subject: Appeal under Section 19(1) of the Right to Information Act, 2005

Dear Sir,

I, **Ms. Mona Rajnikant Hariya** (d/o of Mrs. Pushpa Rajnikant Hariya) on behalf of **Mrs. Pushpa Rajnikant Hariya** (Age: 62, Marital Status: Married), **D/O of Late Kasturben Mohanlal Pethraj Malde**, resident of Mumbai, Maharashtra, had filed an RTI application dated **April 21, 2024** with **Shri. Pankaj Narayan Dalal, General Manager (PESM), Western Region-II, Power Grid Corporation of India Limited, Plot No. 54, Opposite Ambe Vidhyalaya, Sama-Savli Road Vadodara – 390008**. However, I am aggrieved due to incomplete / unsatisfactory response within the stipulated time.

1. Details of the RTI Application:

- Application Date: April 21, 2024
- Information Sought: As per attached RTI application
- Response Received: Response received on May 22, 2024.

2. Reasons for Appeal:

- Incomplete response received.
- And, the Information provided is unsatisfactory.

3. Relief Sought:

- Direct the PIO to provide the complete information regarding below:
 - Total compensation that is agreed with Mr. Shantilal Mohanlal Malde (Crop compensation and Land compensation)
 - Break up of payment made to Mr. Shantilal Mohanlal Malde:
 - Dates on which the payment was made.
 - Amount of payment made on each date
 - Certification copy shared by local revenue authority.
- As per conversation with Mr. Shantilal Mohanlal Malde, he has received only Rs. 3,89,208 whereas as per RTI response, till date crop compensation paid is Rs. 5,86,008. Hence, want to know to whom the balance payment of Rs. 1,96,800 was made.
- We had asked for the evidences for above transactions and final approved amount but the same is not shared to us.
- Further, we had asked to shared the evidence on what basis the payment was credited to Mr. Shantilal Mohanlal Malde, whereas the consent from other owners is not given.
- We have not received any evidences related to above clarifications. So, we are not satisfied with the response shared by PIO.
- We request you to share all the above evidences.
- Also, we request to divide the land compensation between all the owners and not just pay to one person i.e. Mr. Shantilal Mohanlal Malde only since he is not the only owner of the land.

I am enclosing herewith:

- A copy of the original RTI application.
- A copy of the postal proof of submission.

I trust that my appeal will be adjudicated in a just and timely manner.

Thanking you,

Yours sincerely,

Ms. Mona Rajnikant Hariya
507/C-14, Mahalaxmi CHS,
Sector 5, Charkop, Kandivali (West).
Mumbai – 400067. Maharashtra
Mob: 9768666319

To Public Information Officer,
Power Grid Corporation of India Limited,
Saudamini, Plot No. 2, Sector-29,
Gurgaon – 122001. Haryana.

SUBJECT: REQUEST FOR INFORMATION UNDER RIGHT TO INFORMATION ACT, 2005.

Dear Sir/ Madam,

I **MS. MONA RAJNIKANT HARIYA** (d/o of Mrs. Pushpa Rajnikant Hariya) on behalf of **MRS. PUSHPA RAJNIKANT HARIYA** (Age: 62, Marital Status: Married), **D/O OF KASTURBEN MOHANLAL PETHRAJ MALDE**, resident of Mumbai, Maharashtra.

We would like to bring to your notice below information (point 1 and 2) and wish to seek information from your team for mentioned below **point 3 onwards**:

1. We would like to inform **Power Grid Corporation of India Limited**, further referred to as **PGCIL**, that the **OWNERS** of the land property, **SURVEY / BLOCK NO. 876, VILLAGE: NANI RAFUDAD, TALUKA: LALPUR, DISTRICT: JAMNAGAR, JAMNAGAR: 361170, GUJARAT**; are as below:
 - i. **SMT. KASTURBEN MOHANLAL MALDE (First Owner, Date of Death: 03-Aug-2021)** resident of Jamnagar, Gujarat.
 - ii. **MRS. PUSPHABEN RAJNIKANT HARIYA** (Relation with First Owner: Daughter, Age: 62, Marital Status: Married), residing at Mumbai, Maharashtra.
 - iii. **MR. SHANTILAL MOHANLAL MALDE** (Relation with First Owner: Son, Age: 58, Marital Status: Married), residing at Jamnagar, Gujarat.
 - iv. **SMT. HEMLATABEN HASMUKH GUDHKA** (Relation with First Owner: Daughter, Age: 56, Marital Status: Widow), residing at Jamnagar, Gujarat.
 - v. **MRS. PRAGNABEN HASMUKH SHAH** (Relation with First Owner: Daughter, Age: 52, Marital Status: Married), residing at Thane, Maharashtra.
 - vi. **MRS. TARAMATI ANIL NAGARIA** (Relation with First Owner: Daughter, Age: 50, Marital Status: Married), residing at Jamnagar, Gujarat.
 - vii. **MRS. DIMPLEBEN MITUL GUDHKA** (Relation with First Owner: Daughter, Age: 46, Marital Status: Married), residing at Jamnagar, Gujarat.
2. **PGCIL** has acquired the piece of land (**443 sq. mts**) from the above-mentioned land property for the use of Tower construction and string the conductors.
3. We have not yet approved the installation of the conductors and Tower construction. We would be able to provide **PGCIL** the consent once we receive following information and documents:
 - a. Between whom the Agreement has been took place since we all have not given any consent for the same?
 - b. How much was the compensation?
 - c. Whom did the payment was made?
 - d. Was the compensation fully paid or partly paid?
 - e. How was the payment done?
 - f. Is the compensation one time or would be paid annually?
 - g. To produce the copy of approval from statutory authorities regarding the details of the stipulated electric clearance in relation to the adverse effects to the health of the residents.
 - h. For what purpose the Tower is constructed? Is it for Residential use or Commercial use? If the same is for commercial use, then for which company this is constructed?
 - i. To share an agreement copy between company and **PGCIL** if it is for commercial purpose.
 - j. Does the remaining area other than the acquired land by **PGCIL** gets affected?

- k. What is the life of the tower and if it is outlived then would there be any new tower constructed? If new tower is constructed then what would be done to the old tower?
 - l. What is duration in which the ROW would be replaced in existing EHV lines?
 - m. Scope of work and the milestones of completion of work
 - n. Which materials are used in construction of tower and the voltage of wires used?
 - o. Details of Engineer who is responsible to the construction of tower?
4. Provide necessary documentary evidences in support of above questions shared. The documents should be authorised by **PGCIL**.

We provide **PGCIL** period of 15 days to share above authorised documents. If we do not receive these documents, please be ready for the further consequences.

Thanks & Regards,
On behalf of
Mrs. Pushpa Rajnikant Hariya

Ms. Mona Rajnikant Hariya
(d/o of Mrs. Pushpa Rajnikant Hariya)
Mob: 9768666319

प.क्षे.-II/ लोक सूचना/2024-25/RTI-00144/ 452/121

दिनांक : 19/05/2024

सेवा में,
सुश्री मोना रजनीकांत हरिया,
507-C/14, महालक्ष्मी सीएचएस, सेक्टर-5,
चारकोप, कांदीवली वेस्ट, मुंबई- 400067
मोबाइल नंबर - 9768666319


विषय : सूचना का अधिकार अधिनियम 2005 के अंतर्गत मांगी गयी जानकारी के संबंध में।

महोदय,
सूचना का अधिकार अधिनियम 2005 के तहत आपके द्वारा प्रेषित पत्र दिनांक 21/04/2024, ऑनलाइन के माध्यम से दिनांक 22/04/2024 को हमारे पावरग्रिड क्षेत्रीय मुख्यालय में प्राप्त हुआ है। आवेदन पत्र में मांगी गयी जानकारी से संबंधित जवाब इस पत्र के साथ संलग्न कर प्रेषित की जा रही है।

यदि आप केंद्रीय लोक सूचना अधिकारी के उत्तर से संतुष्ट न हों तो, CPIO के उत्तर की प्राप्ति के 30 दिनों के भीतर अपीलिय अधिकारी के सम्मुख अपील कर सकते हैं। आरटीआई अधिनियम, 2005 के तहत अपीलिय अधिकारी का नाम और पता निम्नानुसार है:-

श्री कृष्ण कुमार टी. आर. (कार्यपालक निदेशक), अपीलीय अधिकारी,
पावर ग्रिड कॉर्पोरेशन आफ इंडिया लिमिटेड,
क्षेत्रीय मुख्यालय, पश्चिम क्षेत्र-2
प्लॉट नं.-54, रिया-रेवती रिसोर्ट के पास, समा-सावली रोड,
वडोदरा – 390008 (गुजरात).

धन्यवाद सहित,



(पंकज दलाल)

केन्द्रीय लोक सूचना अधिकारी
पश्चिम क्षेत्र – II, वडोदरा

संलग्न: - यथोपरि,

प्रतिलिपि: -

1. कार्यपालक निदेशक (प.क्षे.-II), वडोदरा -सादर सूचनार्थ
2. मुख्य प्रबंधक (सतर्कता), प.क्षे.-II
3. उप महाप्रबन्धक (विधि), प.क्षे.-II

क्षेत्रीय मुख्यालय प्लॉट सं.54,रिया रेवती रिसोर्ट के पास,अम्बे विद्यालय के सामने समा सावली रोड, वडोदरा-390008(गुजरात)

RHO/ Plot No.54, Adjacent to Riya-Revati Resort, Opp Ambe Vidhyalaya, Sama Savli Road Vadodara – 390008(Gujarat)

केन्द्रीय कार्यालय: "सौदामिनी", प्लॉट नंबर 2, सेक्टर -29, गुरुग्राम -122001, (हरियाणा) दूरभाष: 0124-2571700-719

Corporate Office: "Saudamini", Plot No. 2, Sector-29, Gurugram-122001, (Haryana) Tel.: 0124-2571700-719

पंजीकृत कार्यालय: बी-9, कुतुब इंस्टीट्यूशनल एरिया, कटवारिया सराय, नई दिल्ली -110 016. दूरभाष: 011-26560112, 26560121, 26564812, 26564892, CIN: L40101DL1989GOI038121

Registered Office: B-9, Qutab Institutional Area, Katwaria Sarai, New Delhi-110 016. Tel: 011-26560112, 26560121, 26564812, 26564892, CIN: L40101DL1989GOI038121

Website: www.powergridindia.com

आपके द्वारा दिनांक 21/04/2024 को प्रेषित पत्र (आरटीआई संख्या PGCIL/R/E/24.00223) से संबंधित चाही गयी जानकारी का उत्तर चे तालिका में दिया जा रहा है:-

I MS. MONA RAJNIKANT HARIYA (d/o of Mrs. Pushpa Rajnikant Hariya) on behalf of MRS. PUSHPA RAJNIKANT HARIYA (Age: 62, Marital Status: Married), D/O OF KASTURBEN MOHANLAL PETHRAJ MALDE, resident of Mumbai, Maharashtra.

We would like to bring to your notice below information (point 1 and 2) and wish to seek information from your team for mentioned below point 3 onwards:

We would like to inform Power Grid Corporation of India Limited, further referred to as PGCIL, that the OWNERS of the land property, SURVEY / BLOCK NO. 876, VILLAGE: NANI RAFUDAD, TALUKA: LALPUR, DISTRICT: JAMNAGAR, JAMNAGAR: 361170, GUJARAT; are as below: SMT. KASTURBEN MOHANLAL MALDE (First Owner, Date of Death: 03-Aug-2021) resident of Jamnagar, Gujarat.

MRS. PUSHPABEN RAJNIKANT HARIYA (Relation with First Owner: Daughter, Age: 62, Marital Status: Married), residing at Mumbai, Maharashtra.

MR. SHANTILAL MOHANLAL MALDE (Relation with First Owner: Son, Age: 58, Marital Status: Married), residing at Jamnagar, Gujarat.

SMT. HEMLATABEN HASMUKH GUDHKA (Relation with First Owner: Daughter, Age: 56, Marital Status: Widow), residing at Jamnagar, Gujarat.

MRS. PRAGNABEN HASMUKH SHAH (Relation with First Owner: Daughter, Age: 52, Marital Status: Married), residing at Thane, Maharashtra.

MRS. TARAMATI ANIL NAGARIA (Relation with First Owner: Daughter, Age: 50, Marital Status: Married), residing at Jamnagar, Gujarat.

MRS. DIMPLEBEN MITUL GUDHKA (Relation with First Owner: Daughter, Age: 46, Marital Status: Married), residing at Jamnagar, Gujarat.

PGCIL has acquired the piece of land (443 sq. mts) from the above-mentioned land property for the use of Tower construction and string the conductors.

We have not yet approved the installation of the conductors and Tower construction. We would be able to provide PGCIL the consent once we receive following information and documents:

क्र.	आरटीआई अर्जी	आरटीआई का उत्तर
a	Between whom the Agreement has been took place since we all have not given any consent for the same?	POWERGRID does not acquire land from Land landowners. Only exercises power to establish Transmission lines on/over the land as per power vested/conferred under Sec. 164 of 'The Indian Electricity Act 2003' and Part-III of Indian Telegraph Act, 1885.. hence no agreement is required.
b	How much was the compensation?	Total Crop compensation Rs. 5.86,008.00 for damage during the construction work has been paid to Cultivator Sh. Shantilal Mohanlal Malde as per the certification of local revenue authority.
c	Whom did the payment was made?	
d	Was the compensation fully paid or partly paid?	Compensation towards Crops damage during the construction of transmission line has been paid fully. Land compensation has not been paid yet.
e	How was the payment done?	Payment made by POWERGRID F&A Dept. through online payment method.
f	Is the compensation one time or would be paid annually?	It is one time payment.
g	To produce the copy of approval from statutory authorities regarding the details of the stipulated electric clearance in relation to the adverse effects to the health of the residents.	All precaution, safety measures and safe electrical clearance are taken as per CEA safety rules & regulations.

क्षेत्रीय मुख्यालय प्लॉट सं.54,रिया रेवती रिसोर्ट के पास,अम्बे विद्यालय के सामने समां सावली रोड, वडोदरा-390008(गुजरात)

RHQ/ Plot No.54, Adjacent to Riya-Revati Resort, Opp Ambe Vidhyalaya, Sama Savli Road Vadodara - 390008(Gujarat)

केन्द्रीय कार्यालय: "सौदामिनी", प्लॉट नंबर 2, सेक्टर -29, गुरुग्राम -122001, (हरियाणा) दूरभाष: 0124-2571700-719

Corporate Office: "Saudamin", Plot No. 2, Sector-29, Gurugram-122001, (Haryana) Tel. 0124-2571700-719

पंजीकृत कार्यालय: बी -9, कुतब इंस्टीट्यूशनल एरिया, कटवारिया सराय, नई दिल्ली -110 016. दूरभाष: 011-26560112, 26560121, 26564812, 26564892, CIN: L40101DL1989GOI038121

Registered Office: B-9, Qutab Institutional Area, Katwaria Sarai, New Delhi-110 016. Tel: 011-26560112, 26560121, 26564812, 26564892, CIN : L40101DL1989GOI038121

Website: www.powergridindia.com

h	For what purpose the Tower is constructed? Is it for Residential use or Commercial use? If the same is for commercial use, then for which company this is constructed?	The purpose of the construction is transmitting electric Power Supply. Construction has been done as per prior approval of Ministry of Power under Sec-68 of Indian Electricity Act
i	To share an agreement copy between company and PGCIL if it is for commercial purpose.	No such provision exist.
j	Does the remaining area other than the acquired land by PGCIL gets affected?	POWERGRID does not acquire any land for construction of tower line
k	What is the life of the tower and if it is outlived then would there be any new tower constructed? If new tower is constructed then what would be done to the old tower?	Generally, transmission line has life of 35 yrs. The decision for the construction of new tower are decided based on the decision by appropriate authority.
l	What is duration in which the ROW would be replaced in existing EHV lines?	vogue of the question is not clear.
m	Scope of work and the milestones of completion of work	Scope of work is to transmit the electric power and work completed on 26.04.2024
n	Which materials are used in construction of tower and the voltage of wires used?	HT and MS Steel are used in construction of tower. Voltage level of this transmission line is 400kV.
o	Details of Engineer who is responsible to the construction of tower?	Power Grid Corporation of India (A Govt of India Enterprise) is the owner of the transmission line.



(प्रकाश दलाल)
केन्द्रीय लोक सूचना अधिकारी
पश्चिम क्षेत्र – II, वडोदरा

क्षेत्रीय मुख्यालय प्लॉट सं.54,रिया रेवती रिसोर्ट के पास,अम्बे विद्यालय के सामने समा सावली रोड, वडोदरा-390008(गुजरात)

RHQ/ Plot No.54, Adjacent to Riya-Revati Resort, Opp Ambe Vidhyalaya, Sama Savli Road Vadodara – 390008(Gujarat)

केन्द्रीय कार्यालय: "सौदामिनी", प्लॉट नंबर 2, सेक्टर -29, गुरुग्राम -122001, (हरियाणा) दूरभाष: 0124-2571700-719

Corporate Office: "Saudamini", Plot No. 2, Sector-29, Gurugram-122001, (Haryana) Tel.: 0124-2571700-719

पंजीकृत कार्यालय: बी -9, कुतब इंस्टीट्यूशनल एरिया, कटवारिया सराय, नई दिल्ली -110 016. दूरभाष: 011-26560112, 26560121, 26564812, 26564892, CIN: L40101DL1989GOI038121

Registered Office: B-9, Qutab Institutional Area, Katwaria Sarai, New Delhi-110 016. Tel: 011-26560112, 26560121, 26564812, 26564892, CIN : L40101DL1989GOI038121

Website: www.powergridindia.com